

Table of Contents

- A. Liposuction Cannulas
 - a) Infiltration Cannulas
 - b) General Suction Cannulas
 - c) Harvesting Cannulas
 - e) Injecting Cannulas
 - f) Speciality Cannulas

- B. Accessories

- C. Our Specialized Sets

Cannula Hubs/ Connections



Luer lock



Luer lock
(Stainless Steel)



Super Luer Lock



Treaded



60cc Tommey hub

Machine Connections



TS-1000.01

Cannulas and Harvesters as a complete instrument ready to use with an aspiration machine for liposuction and large volume fat harvesting procedures.

Fixed Handle

Luer Lock Hub/Connector:

The universal Luer Lock hub enables cannula to attach directly with any Luer Lock Syringe.

Super Luer Lock Hub/Connector:

Like the standard Luer Lock hub which is more powerful, more stable, Leak proof, free from instability and contamination.

Threaded Hub/Connector:

Threaded connector hub style is used mostly for machine assisted Liposuction cannulas, Wish Surgical's unique Light weight threaded cannula can also be used with ordinary syringe. All you need is Wish Surgical's connector from threaded to Luer style.

60cc Tommey Hub/Connector:

An ideal hub style for surgeons who love to handle large fat volumes. This hub style connects cannula to a 60cc Tommey syringe.


Fixed Handle Cannulas:

The unique design of handle offers powerful grip harvesting large volumes. You will feel amazingly comfortable even after a long operational time. The thumb grip provides a unique opportunity to control the thrust.



INFILTRATION CANNULAS

Wish Surgical's Infiltration Cannulas are designed for safe and efficient delivery of tumescent solution. The spiral micro holes on cannula ensure an even distribution of local anesthetic which results in a longer anesthetic effect. This is less painful and more pleasant liposuction experience for patient.



Tumescent Infiltrator

This cannula is used specifically for the infusion of tumescent solution. The configuration of the ports allows even distribution of the fluid.

60cc Tommey hub

TS-101.01	Ø 2.5 mm X 15 cm
TS-101.02	Ø 2.5 mm X 20 cm
TS-101.03	Ø 3.0 mm X 20 cm
TS-101.04	Ø 3.0 mm X 25 cm

Treaded Hub

TS-102.01	Ø 2.0 mm X 15 cm
TS-102.02	Ø 3.0 mm X 15 cm
TS-102.03	Ø 3.0 mm X 20 cm
TS-102.04	Ø 3.0 mm X 30 cm
TS-102.05	Ø 4.0 mm X 20 cm
TS-102.06	Ø 4.0 mm X 30 cm

Super Luer Lock

TS-103.01	Ø 1.0 mm X 5 cm
TS-103.02	Ø 1.0 mm X 7 cm
TS-103.03	Ø 1.5 mm X 7 cm
TS-103.04	Ø 1.5 mm X 9 cm

Luer lock

TS-104.01	Ø 1.0 mm X 4 cm
TS-104.02	Ø 1.0 mm X 5 cm
TS-104.03	Ø 1.5 mm X 7 cm
TS-104.04	Ø 1.5 mm X 9 cm
TS-104.05	Ø 1.5 mm X 10 cm
TS-104.06	Ø 1.5 mm X 12 cm
TS-104.07	Ø 2.0 mm X 10 cm
TS-104.08	Ø 2.0 mm X 12 cm
TS-104.09	Ø 2.0 mm X 15 cm
TS-104.10	Ø 2.0 mm X 20 cm
TS-104.11	Ø 2.5 mm X 15 cm
TS-104.12	Ø 2.5 mm X 20 cm
TS-104.13	Ø 3.0 mm X 15 cm
TS-104.14	Ø 3.0 mm X 20 cm

Luer lock (Stainless Steel)

TS-105.01	Ø 1.0 mm X 4 cm
TS-105.02	Ø 1.0 mm X 5 cm
TS-105.03	Ø 1.0 mm X 7 cm
TS-105.04	Ø 1.5 mm X 7 cm
TS-105.05	Ø 1.5 mm X 9 cm
TS-105.06	Ø 1.5 mm X 10 cm
TS-105.07	Ø 1.5 mm X 12 cm
TS-105.08	Ø 2.0 mm X 10 cm
TS-105.09	Ø 2.0 mm X 12 cm
TS-105.10	Ø 2.0 mm X 15 cm
TS-105.11	Ø 2.0 mm X 20 cm
TS-105.12	Ø 2.5 mm X 15 cm
TS-105.13	Ø 2.5 mm X 20 cm
TS-105.14	Ø 3.0 mm X 15 cm
TS-105.15	Ø 3.0 mm X 20 cm

Power Cannula

TS-106.01	Ø 2.0 mm X 15 cm
TS-106.02	Ø 2.0 mm X 20 cm
TS-106.03	Ø 2.0 mm X 25 cm
TS-106.04	Ø 2.0 mm X 30 cm
TS-106.05	Ø 2.0 mm X 35 cm
TS-106.06	Ø 3.0 mm X 15 cm
TS-106.07	Ø 3.0 mm X 20 cm
TS-106.08	Ø 3.0 mm X 25 cm
TS-106.09	Ø 3.0 mm X 30 cm
TS-106.10	Ø 3.0 mm X 35 cm
TS-106.11	Ø 4.0 mm X 15 cm
TS-106.12	Ø 4.0 mm X 20 cm
TS-106.13	Ø 4.0 mm X 25 cm
TS-106.14	Ø 4.0 mm X 30 cm
TS-106.15	Ø 4.0 mm X 35 cm
TS-106.16	Ø 5.0 mm X 15 cm
TS-106.17	Ø 5.0 mm X 20 cm
TS-106.18	Ø 5.0 mm X 25 cm
TS-106.19	Ø 5.0 mm X 30 cm
TS-106.20	Ø 5.0 mm X 35 cm
TS-106.21	Ø 6.0 mm X 15 cm
TS-106.22	Ø 6.0 mm X 20 cm
TS-106.23	Ø 6.0 mm X 25 cm
TS-106.24	Ø 6.0 mm X 30 cm
TS-106.25	Ø 6.0 mm X 35 cm



TREVALLi

INFILTRATION CANNULAS



Tumescent Bayonet Infiltrator

The bayonet shaped handles allow an easier manipulation

60cc Tommey hub

TS-101.11	Ø 2.0 mm X 15 cm
TS-101.12	Ø 2.5 mm X 20 cm
TS-101.13	Ø 3.0 mm X 20 cm
TS-101.14	Ø 3.0 mm X 25 cm

Treaded Hub

TS-102.11	Ø 2.0mm X 15 cm
TS-102.12	Ø 3.0mm X 15 cm
TS-102.13	Ø 3.0mm X 20 cm
TS-102.14	Ø 3.0mm X 30 cm
TS-102.15	Ø 4.0mm X 20 cm
TS-102.16	Ø 4.0mm X 30 cm

Super Luer Lock

TS-103.11	Ø 1.0 mm X 5 cm
TS-103.12	Ø 1.0 mm X 7 cm
TS-103.13	Ø 1.5 mm X 7 cm
TS-103.14	Ø 1.5 mm X 9 cm

Luer lock

TS-104.11	Ø 1.0 mm X 4 cm
TS-104.12	Ø 1.0 mm X 5 cm
TS-104.13	Ø 1.0 mm X 7 cm
TS-104.14	Ø 1.5 mm X 7 cm
TS-104.15	Ø 1.5 mm X 9 cm
TS-104.16	Ø 1.5 mm X 10 cm
TS-104.17	Ø 1.5 mm X 12 cm
TS-104.18	Ø 2.0 mm X 10 cm
TS-104.19	Ø 2.0 mm X 12 cm
TS-104.20	Ø 2.0 mm X 15 cm
TS-104.21	Ø 2.0 mm X 20 cm
TS-104.22	Ø 2.5 mm X 15 cm
TS-104.23	Ø 2.5 mm X 20 cm
TS-104.24	Ø 3.0 mm X 15 cm
TS-104.25	Ø 3.0 mm X 20 cm

Luer lock (Stainless Steel)

TS-105.21	Ø 1.0 mm X 4 cm
TS-105.22	Ø 1.0 mm X 5 cm
TS-105.23	Ø 1.0 mm X 7 cm
TS-105.24	Ø 1.5 mm X 7 cm
TS-105.25	Ø 1.5 mm X 9 cm
TS-105.26	Ø 1.5 mm X 10 cm
TS-105.27	Ø 1.5 mm X 12 cm
TS-105.28	Ø 2.0 mm X 10 cm
TS-105.29	Ø 2.0 mm X 12 cm
TS-105.30	Ø 2.0 mm X 15 cm
TS-105.31	Ø 2.0 mm X 20 cm
TS-105.32	Ø 2.5 mm X 15 cm
TS-105.33	Ø 2.5 mm X 20 cm
TS-105.34	Ø 3.0 mm X 15 cm
TS-105.35	Ø 3.0 mm X 20 cm


Power Cannula

TS-106.31	Ø 2 mm X 15 cm
TS-106.32	Ø 2 mm X 20 cm
TS-106.33	Ø 2 mm X 25 cm
TS-106.34	Ø 2 mm X 30 cm
TS-106.35	Ø 2 mm X 35 cm
TS-106.36	Ø 3 mm X 15 cm
TS-106.37	Ø 3 mm X 20 cm
TS-106.38	Ø 3 mm X 25 cm
TS-106.39	Ø 3 mm X 30 cm
TS-106.40	Ø 3 mm X 35 cm
TS-106.41	Ø 4 mm X 15 cm
TS-106.42	Ø 4 mm X 20 cm
TS-106.43	Ø 4 mm X 25 cm
TS-106.44	Ø 4 mm X 30 cm
TS-106.45	Ø 4 mm X 35 cm
TS-106.46	Ø 5 mm X 15 cm
TS-106.47	Ø 5 mm X 20 cm
TS-106.48	Ø 5 mm X 25 cm
TS-106.49	Ø 5 mm X 30 cm
TS-106.50	Ø 5 mm X 35 cm
TS-106.51	Ø 6 mm X 15 cm
TS-106.52	Ø 6 mm X 20 cm
TS-106.53	Ø 6 mm X 25 cm
TS-106.54	Ø 6 mm X 30 cm
TS-106.55	Ø 6 mm X 35 cm



TREVALLi

INFILTRATION CANNULAS



Luer lock Luer lock (Stainless Steel) Super Luer lock Treaded 60cc Tommey hub Fixed Handle



Tumescent Infiltrator Angled

This cannula is used specifically for the infusion of tumescent solution. The configuration of the ports allows even distribution of the fluid.

60cc Tommey hub

TS-101.21	Ø 2.0 mm X 15 cm
TS-101.22	Ø 2.5 mm X 20 cm
TS-101.23	Ø 3.0 mm X 20 cm
TS-101.24	Ø 3.0 mm X 25 cm

Treaded Hub

TS-102.21	Ø 2.0mm X 15 cm
TS-102.22	Ø 3.0mm X 15 cm
TS-102.23	Ø 3.0mm X 20 cm
TS-102.24	Ø 3.0mm X 30 cm
TS-102.25	Ø 4.0mm X 20 cm
TS-102.26	Ø 4.0mm X 30 cm

Super Luer Lock

TS-103.21	Ø 1.0 mm X 5 cm
TS-103.22	Ø 1.0 mm X 7 cm
TS-103.23	Ø 1.5 mm X 7 cm
TS-103.24	Ø 1.5 mm X 9 cm

Luer lock

TS-104.31	Ø 1.0 mm X 4 cm
TS-104.32	Ø 1.0 mm X 5 cm
TS-104.33	Ø 1.0 mm X 7 cm
TS-104.34	Ø 1.5 mm X 7 cm
TS-104.35	Ø 1.5 mm X 9 cm
TS-104.36	Ø 1.5 mm X 10 cm
TS-104.37	Ø 1.5 mm X 12 cm
TS-104.38	Ø 2.0 mm X 10 cm
TS-104.39	Ø 2.0 mm X 12 cm
TS-104.40	Ø 2.0 mm X 15 cm
TS-104.41	Ø 2.0 mm X 20 cm
TS-104.42	Ø 2.5 mm X 15 cm
TS-104.43	Ø 2.5 mm X 20 cm
TS-104.44	Ø 3.0 mm X 15 cm
TS-104.45	Ø 3.0 mm X 20 cm

Luer lock (Stainless Steel)

TS-105.41	Ø 1.0 mm X 4 cm
TS-105.42	Ø 1.0 mm X 5 cm
TS-105.43	Ø 1.0 mm X 7 cm
TS-105.44	Ø 1.5 mm X 7 cm
TS-105.45	Ø 1.5 mm X 9 cm
TS-105.46	Ø 1.5 mm X 10 cm
TS-105.47	Ø 1.5 mm X 12 cm
TS-105.48	Ø 2.0 mm X 10 cm
TS-105.49	Ø 2.0 mm X 12 cm
TS-105.50	Ø 2.0 mm X 15 cm
TS-105.51	Ø 2.0 mm X 20 cm
TS-105.52	Ø 2.5 mm X 15 cm
TS-105.53	Ø 2.5 mm X 20 cm
TS-105.54	Ø 3.0 mm X 15 cm
TS-105.55	Ø 3.0 mm X 20 cm

Power Cannula

TS-106.61	Ø 2 mm X 15 cm
TS-106.62	Ø 2 mm X 20 cm
TS-106.63	Ø 2 mm X 25 cm
TS-106.64	Ø 2 mm X 30 cm
TS-106.65	Ø 2 mm X 35 cm
TS-106.66	Ø 3 mm X 15 cm
TS-106.67	Ø 3 mm X 20 cm
TS-106.68	Ø 3 mm X 25 cm
TS-106.69	Ø 3 mm X 30 cm
TS-106.70	Ø 3 mm X 35 cm
TS-106.71	Ø 4 mm X 15 cm
TS-106.72	Ø 4 mm X 20 cm
TS-106.73	Ø 4 mm X 25 cm
TS-106.74	Ø 4 mm X 30 cm
TS-106.75	Ø 4 mm X 35 cm
TS-106.76	Ø 5 mm X 15 cm
TS-106.77	Ø 5 mm X 20 cm
TS-106.78	Ø 5 mm X 25 cm
TS-106.79	Ø 5 mm X 30 cm
TS-106.80	Ø 5 mm X 35 cm
TS-106.81	Ø 6 mm X 15 cm
TS-106.82	Ø 6 mm X 20 cm
TS-106.83	Ø 6 mm X 25 cm
TS-106.84	Ø 6 mm X 30 cm
TS-106.85	Ø 6 mm X 35 cm



TREVALLi

INFILTRATION CANNULAS



Facelift Infiltration Cannula

This cannula is used specifically for the infusion of tumescent solution. The configuration of the ports allows even distribution of the fluid.

60cc Tommey hub

TS-101.31	Ø 2.0 mm X 15 cm
TS-101.32	Ø 2.5 mm X 20 cm
TS-101.33	Ø 3.0 mm X 20 cm
TS-101.34	Ø 3.0 mm X 25 cm

Treaded Hub

TS-102.31	Ø 2.0mm X 15 cm
TS-102.32	Ø 3.0mm X 15 cm
TS-102.33	Ø 3.0mm X 20 cm
TS-102.34	Ø 3.0mm X 30 cm
TS-102.35	Ø 4.0mm X 20 cm
TS-102.36	Ø 4.0mm X 30 cm

Super Luer Lock

TS-103.31	Ø 1.0 mm X 5 cm
TS-103.32	Ø 1.0 mm X 7 cm
TS-103.33	Ø 1.5 mm X 7 cm
TS-103.34	Ø 1.5 mm X 9 cm

Luer lock

TS-104.51	Ø 1.0 mm X 4 cm
TS-104.52	Ø 1.0 mm X 5 cm
TS-104.53	Ø 1.0 mm X 7 cm
TS-104.54	Ø 1.5 mm X 7 cm
TS-104.55	Ø 1.5 mm X 9 cm
TS-104.56	Ø 1.5 mm X 10 cm
TS-104.57	Ø 1.5 mm X 12 cm
TS-104.58	Ø 2.0 mm X 10 cm
TS-104.59	Ø 2.0 mm X 12 cm
TS-104.50	Ø 2.0 mm X 15 cm
TS-104.51	Ø 2.0 mm X 20 cm
TS-104.52	Ø 2.5 mm X 15 cm
TS-104.53	Ø 2.5 mm X 20 cm
TS-104.54	Ø 3.0 mm X 15 cm
TS-104.55	Ø 3.0 mm X 20 cm

Luer lock (Stainless Steel)

TS-105.61	Ø 1.0 mm X 4 cm
TS-105.62	Ø 1.0 mm X 5 cm
TS-105.63	Ø 1.0 mm X 7 cm
TS-105.64	Ø 1.5 mm X 7 cm
TS-105.65	Ø 1.5 mm X 9 cm
TS-105.66	Ø 1.5 mm X 10 cm
TS-105.67	Ø 1.5 mm X 12 cm
TS-105.68	Ø 2.0 mm X 10 cm
TS-105.69	Ø 2.0 mm X 12 cm
TS-105.70	Ø 2.0 mm X 15 cm
TS-105.71	Ø 2.0 mm X 20 cm
TS-105.72	Ø 2.5 mm X 15 cm
TS-105.73	Ø 2.5 mm X 20 cm
TS-105.74	Ø 3.0 mm X 15 cm
TS-105.75	Ø 3.0 mm X 20 cm

Power Cannula

TS-106.91	Ø 2 mm X 15 cm
TS-106.92	Ø 2 mm X 20 cm
TS-106.93	Ø 2 mm X 25 cm
TS-106.94	Ø 2 mm X 30 cm
TS-106.95	Ø 2 mm X 35 cm
TS-106.96	Ø 3 mm X 15 cm
TS-106.97	Ø 3 mm X 20 cm
TS-106.98	Ø 3 mm X 25 cm
TS-106.99	Ø 3 mm X 30 cm
TS-106.100	Ø 3 mm X 35 cm
TS-106.101	Ø 4 mm X 15 cm
TS-106.102	Ø 4 mm X 20 cm
TS-106.103	Ø 4 mm X 25 cm
TS-106.104	Ø 4 mm X 30 cm
TS-106.105	Ø 4 mm X 35 cm
TS-106.106	Ø 5 mm X 15 cm
TS-106.107	Ø 5 mm X 20 cm
TS-106.108	Ø 5 mm X 25 cm
TS-106.109	Ø 5 mm X 30 cm
TS-106.110	Ø 5 mm X 35 cm
TS-106.111	Ø 6 mm X 15 cm
TS-106.112	Ø 6 mm X 20 cm
TS-106.113	Ø 6 mm X 25 cm
TS-106.114	Ø 6 mm X 30 cm
TS-106.115	Ø 6 mm X 35 cm



GENERAL SUCTION CANNULA

Wish Surgical's General suction cannula are ideal tool for large volume Harvesting with ease perfection.

These cannulas are designed to facilitate you to get perfectly designed goals in minimum time.



TREVALLI

GENERAL SUCTION CANNULAS



Stevens Style Cannula

60cc Tommey hub

TS-201.01	Ø 2.0 mm X 15 cm
TS-201.02	Ø 2.5 mm X 20 cm
TS-201.03	Ø 3.0 mm X 20 cm
TS-201.04	Ø 3.0 mm X 25 cm

Treaded Hub

TS-202.01	Ø 3.0 mm X 20 cm
TS-202.02	Ø 3.0 mm X 30 cm
TS-202.03	Ø 4.0 mm X 30 cm
TS-202.04	Ø 5.0 mm X 30 cm
TS-202.05	Ø 6.0 mm X 30 cm

Super Luer Lock

TS-203.01	Ø 1.0 mm X 5 cm
TS-203.02	Ø 1.0 mm X 7 cm
TS-203.03	Ø 1.5 mm X 7 cm
TS-203.04	Ø 1.5 mm X 9 cm
TS-203.05	Ø 1.5 mm X 7 cm

Luer lock

TS-204.01	Ø 1.0 mm X 4 cm
TS-204.02	Ø 1.0 mm X 5 cm
TS-204.03	Ø 1.0 mm X 7 cm
TS-204.04	Ø 1.5 mm X 7 cm
TS-204.05	Ø 1.5 mm X 9 cm
TS-204.06	Ø 1.5 mm X 10 cm
TS-204.07	Ø 1.5 mm X 12 cm
TS-204.08	Ø 2.0 mm X 10 cm
TS-204.09	Ø 2.0 mm X 12 cm
TS-204.10	Ø 2.0 mm X 15 cm
TS-204.11	Ø 2.0 mm X 20 cm
TS-204.12	Ø 2.5 mm X 15 cm
TS-204.13	Ø 2.5 mm X 20 cm
TS-204.14	Ø 3.0 mm X 15 cm
TS-204.15	Ø 3.0 mm X 20 cm

Luer lock (Stainless Steel)

TS-205.01	Ø 1.0 mm X 4 cm
TS-205.02	Ø 1.0 mm X 5 cm
TS-205.03	Ø 1.0 mm X 7 cm
TS-205.04	Ø 1.5 mm X 7 cm
TS-205.05	Ø 1.5 mm X 9 cm
TS-205.06	Ø 1.5 mm X 10 cm
TS-205.07	Ø 1.5 mm X 12 cm
TS-205.08	Ø 2.0 mm X 10 cm
TS-205.09	Ø 2.0 mm X 12 cm
TS-205.10	Ø 2.0 mm X 15 cm
TS-205.11	Ø 2.0 mm X 20 cm
TS-205.12	Ø 2.5 mm X 15 cm
TS-205.13	Ø 2.5 mm X 20 cm
TS-205.14	Ø 3.0 mm X 15 cm
TS-205.15	Ø 3.0 mm X 20 cm

Power Cannula

TS-206.01	Ø 2 mm X 15 cm
TS-206.02	Ø 2 mm X 20 cm
TS-206.03	Ø 2 mm X 25 cm
TS-206.04	Ø 2 mm X 30 cm
TS-206.05	Ø 2 mm X 35 cm
TS-206.06	Ø 3 mm X 15 cm
TS-206.07	Ø 3 mm X 20 cm
TS-206.08	Ø 3 mm X 25 cm
TS-206.09	Ø 3 mm X 30 cm
TS-206.10	Ø 3 mm X 35 cm
TS-206.11	Ø 4 mm X 15 cm
TS-206.12	Ø 4 mm X 20 cm
TS-206.13	Ø 4 mm X 25 cm
TS-206.14	Ø 4 mm X 30 cm
TS-206.15	Ø 4 mm X 35 cm
TS-206.16	Ø 5 mm X 15 cm
TS-206.17	Ø 5 mm X 20 cm
TS-206.18	Ø 5 mm X 25 cm
TS-206.19	Ø 5 mm X 30 cm
TS-206.20	Ø 5 mm X 35 cm
TS-206.21	Ø 6 mm X 15 cm
TS-206.22	Ø 6 mm X 20 cm
TS-206.23	Ø 6 mm X 25 cm
TS-206.24	Ø 6 mm X 30 cm
TS-206.25	Ø 6 mm X 35 cm



TREVALLi

GENERAL SUCTION CANNULAS



Luer lock

Luer lock
(Stainless Steel)

Super Luer lock

Treaded

60cc Tommey hub

Fixed Handle



Cobra Bibevel Style

More aggressive than the Standard, Pyramid or Mercedes, this cannula has a tapered tip with two ports and works effectively within dense fibrous tissue.

60cc Tommey hub

TS-201.11	Ø 2.5 mm X 15 cm5
TS-201.12	Ø 2.5 mm X 20 cm
TS-201.13	Ø 3.0 mm X 15 cm
TS-201.14	Ø 3.0 mm X 20 cm
TS-201.15	Ø 3.0 mm X 25 cm
TS-201.16	Ø 4.0 mm X 25 cm
TS-201.17	Ø 4.0 mm X 30 cm
TS-201.18	Ø 4.0 mm X 35 cm
TS-201.19	Ø 4.5 mm X 30 cm
TS-201.20	Ø 4.5 mm X 35 cm

Treaded Hub

TS-202.11	Ø 3.0 mm X 15 cm
TS-202.12	Ø 3.0 mm X 25 cm
TS-202.13	Ø 4.0 mm X 15 cm
TS-202.14	Ø 4.0 mm X 25 cm

Super Luer Lock

TS-203.11	Ø 2.0 mm X 15 cm
TS-203.12	Ø 2.5 mm X 15 cm
TS-203.13	Ø 2.5 mm X 20 cm
TS-203.14	Ø 3.0 mm X 15 cm
TS-203.15	Ø 3.0 mm X 20 cm
TS-203.16	Ø 3.0 mm X 25 cm

Luer lock

TS-204.21	Ø 2.0 mm X 15 cm
TS-204.22	Ø 2.5 mm X 15 cm
TS-204.23	Ø 2.5 mm X 20 cm
TS-204.24	Ø 3.0 mm X 15 cm
TS-204.25	Ø 3.0 mm X 20 cm
TS-204.26	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

TS-205.21	Ø 2.0 mm X 15 cm
TS-205.22	Ø 2.5 mm X 15 cm
TS-205.23	Ø 2.5 mm X 20 cm
TS-205.24	Ø 3.0 mm X 15 cm
TS-205.25	Ø 3.0 mm X 20 cm
TS-205.26	Ø 3.0 mm X 25 cm

Power Cannula

TS-206.31	Ø 2mm X 15 cm
TS-206.32	Ø 2mm X 20 cm
TS-206.33	Ø 2mm X 25 cm
TS-206.34	Ø 2mm X 30 cm
TS-206.35	Ø 2mm X 35 cm
TS-206.36	Ø 3mm X 15 cm
TS-206.37	Ø 3mm X 20 cm
TS-206.38	Ø 3mm X 25 cm
TS-206.39	Ø 3mm X 30 cm
TS-206.40	Ø 3mm X 35 cm
TS-206.41	Ø 4mm X 15 cm
TS-206.42	Ø 4mm X 20 cm
TS-206.43	Ø 4mm X 25 cm
TS-206.44	Ø 4mm X 30 cm
TS-206.45	Ø 4mm X 35 cm
TS-206.46	Ø 5mm X 15 cm
TS-206.47	Ø 5mm X 20 cm
TS-206.48	Ø 5mm X 25 cm
TS-206.49	Ø 5mm X 30 cm
TS-206.50	Ø 5mm X 35 cm
TS-206.51	Ø 6mm X 15 cm
TS-206.52	Ø 6mm X 20 cm
TS-206.53	Ø 6mm X 25 cm
TS-206.54	Ø 6mm X 30 cm
TS-206.55	Ø 6mm X 35 cm



TREVALLi

GENERAL SUCTION CANNULAS



Cobra Style Round Tip

Less aggressive than the Cobra Bibevel this cell friendly cannula has a rounded tip with two ports and works effectively within dense fibrous tissue during liposuction procedures.

60cc Tommey hub

TS-201.21	Ø 2.5 mm X 15 cm
TS-201.22	Ø 2.5 mm X 20 cm
TS-201.23	Ø 3.0 mm X 15 cm
TS-201.24	Ø 3.0 mm X 20 cm
TS-201.25	Ø 3.0 mm X 25 cm
TS-201.26	Ø 4.0 mm X 25 cm
TS-201.27	Ø 4.0 mm X 30 cm
TS-201.28	Ø 4.0 mm X 35 cm
TS-201.29	Ø 4.5 mm X 30 cm
TS-201.30	Ø 4.5 mm X 35 cm

Treaded Hub

TS-202.21	Ø 3.0 mm X 15 cm
TS-202.22	Ø 3.0 mm X 25 cm
TS-202.23	Ø 4.0 mm X 15 cm
TS-202.24	Ø 4.0 mm X 25 cm

Super Luer Lock

TS-203.21	Ø 2.0 mm X 15 cm
TS-203.22	Ø 2.5 mm X 15 cm
TS-203.23	Ø 2.5 mm X 20 cm
TS-203.24	Ø 3.0 mm X 15 cm
TS-203.25	Ø 3.0 mm X 20 cm
TS-203.26	Ø 3.0 mm X 25 cm

Luer lock

TS-204.31	Ø 2.0 mm X 15 cm
TS-204.32	Ø 2.5 mm X 15 cm
TS-204.33	Ø 2.5 mm X 20 cm
TS-204.34	Ø 3.0 mm X 15 cm
TS-204.35	Ø 3.0 mm X 20 cm
TS-204.36	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

TS-205.31	Ø 2.0 mm X 15 cm
TS-205.32	Ø 2.5 mm X 15 cm
TS-205.33	Ø 2.5 mm X 20 cm
TS-205.34	Ø 3.0 mm X 15 cm
TS-205.35	Ø 3.0 mm X 20 cm
TS-205.36	Ø 3.0 mm X 25 cm


Power Cannula

TS-206.61	Ø 2 mm X 15 cm
TS-206.62	Ø 2 mm X 20 cm
TS-206.63	Ø 2 mm X 25 cm
TS-206.64	Ø 2 mm X 30 cm
TS-206.65	Ø 2 mm X 35 cm
TS-206.66	Ø 3 mm X 15 cm
TS-206.67	Ø 3 mm X 20 cm
TS-206.68	Ø 3 mm X 25 cm
TS-206.69	Ø 3 mm X 30 cm
TS-206.70	Ø 3 mm X 35 cm
TS-206.71	Ø 4 mm X 15 cm
TS-206.72	Ø 4 mm X 20 cm
TS-206.73	Ø 4 mm X 25 cm
TS-206.74	Ø 4 mm X 30 cm
TS-206.75	Ø 4 mm X 35 cm
TS-206.76	Ø 5 mm X 15 cm
TS-206.77	Ø 5 mm X 20 cm
TS-206.78	Ø 5 mm X 25 cm
TS-206.79	Ø 5 mm X 30 cm
TS-206.80	Ø 5 mm X 35 cm
TS-206.81	Ø 6 mm X 15 cm
TS-206.82	Ø 6 mm X 20 cm
TS-206.83	Ø 6 mm X 25 cm
TS-206.84	Ø 6 mm X 30 cm
TS-206.85	Ø 6 mm X 35 cm



TREVALLi

GENERAL SUCTION CANNULAS



Standard, Single Hole

This is the most common cell friendly cannula design for soft tissue removal. The single port is located 180 degrees from the thumb rest on the hub.

60cc Tommey hub

TS-201.31	Ø 2.5 mm X 15 cm
TS-201.32	Ø 2.5 mm X 20 cm
TS-201.33	Ø 3.0 mm X 15 cm
TS-201.34	Ø 3.0 mm X 20 cm
TS-201.35	Ø 3.0 mm X 25 cm
TS-201.36	Ø 4.0 mm X 25 cm
TS-201.37	Ø 4.0 mm X 30 cm
TS-201.38	Ø 4.0 mm X 35 cm
TS-201.39	Ø 4.5 mm X 30 cm
TS-201.40	Ø 4.5 mm X 35 cm

Luer lock (Stainless Steel)

TS-205.41	Ø 1.5 mm X 12 cm
TS-205.42	Ø 2.0 mm X 15 cm
TS-205.43	Ø 2.0 mm X 20 cm
TS-205.44	Ø 2.5 mm X 15 cm
TS-205.45	Ø 2.5 mm X 20 cm
TS-205.46	Ø 3.0 mm X 15 cm
TS-205.47	Ø 3.0 mm X 20 cm
TS-205.48	Ø 3.0 mm X 25 cm

Treaded Hub

TS-202.31	Ø 3.0 mm X 15 cm
TS-202.32	Ø 3.0 mm X 25 cm
TS-202.33	Ø 4.0 mm X 15 cm
TS-202.34	Ø 4.0 mm X 25 cm

Power Cannula

TS-206.91	Ø 2 mm X 15 cm
TS-206.92	Ø 2 mm X 20 cm
TS-206.93	Ø 2 mm X 25 cm
TS-206.94	Ø 2 mm X 30 cm
TS-206.95	Ø 2 mm X 35 cm
TS-206.96	Ø 3 mm X 15 cm
TS-206.97	Ø 3 mm X 20 cm
TS-206.98	Ø 3 mm X 25 cm
TS-206.99	Ø 3 mm X 30 cm
TS-206.100	Ø 3 mm X 35 cm
TS-206.101	Ø 4 mm X 15 cm
TS-206.102	Ø 4 mm X 20 cm
TS-206.103	Ø 4 mm X 25 cm
TS-206.104	Ø 4 mm X 30 cm
TS-206.105	Ø 4 mm X 35 cm
TS-206.106	Ø 5 mm X 15 cm
TS-206.107	Ø 5 mm X 20 cm
TS-206.108	Ø 5 mm X 25 cm
TS-206.109	Ø 5 mm X 30 cm
TS-206.110	Ø 5 mm X 35 cm
TS-206.111	Ø 6 mm X 15 cm
TS-206.112	Ø 6 mm X 20 cm
TS-206.113	Ø 6 mm X 25 cm
TS-206.114	Ø 6 mm X 30 cm
TS-206.115	Ø 6 mm X 35 cm

Super Luer Lock

TS-203.31	Ø 1.5 mm X 12 cm
TS-203.32	Ø 2.0 mm X 15 cm
TS-203.33	Ø 2.0 mm X 20 cm
TS-203.34	Ø 2.5 mm X 15 cm
TS-203.35	Ø 2.5 mm X 20 cm
TS-203.36	Ø 3.0 mm X 15 cm
TS-203.37	Ø 3.0 mm X 20 cm
TS-203.38	Ø 3.0 mm X 25 cm

Luer lock

TS-204.41	Ø 1.5 mm X 12 cm
TS-204.42	Ø 2.0 mm X 15 cm
TS-204.43	Ø 2.0 mm X 20 cm
TS-204.44	Ø 2.5 mm X 15 cm
TS-204.45	Ø 2.5 mm X 20 cm
TS-204.46	Ø 3.0 mm X 15 cm
TS-204.47	Ø 3.0 mm X 20 cm
TS-204.48	Ø 3.0 mm X 25 cm



TREVALLi

GENERAL SUCTION CANNULAS



Pyramid Holes Cannula

This commonly used design has three ports located 180 degrees from the thumb print. It is a slightly more aggressive cannula than the Standard during liposuction procedures.

60cc Tommey hub

TS-201.41	Ø 2.5 mm X 15 cm
TS-201.42	Ø 2.5 mm X 20 cm
TS-201.43	Ø 3.0 mm X 15 cm
TS-201.44	Ø 3.0 mm X 20 cm
TS-201.45	Ø 3.0 mm X 25 cm
TS-201.46	Ø 4.0 mm X 25 cm
TS-201.47	Ø 4.0 mm X 30 cm
TS-201.48	Ø 4.0 mm X 35 cm
TS-201.49	Ø 4.5 mm X 30 cm
TS-201.50	Ø 4.5 mm X 35 cm

Treaded Hub

TS-202.41	Ø 3.0 mm X 15 cm
TS-202.42	Ø 3.0 mm X 25 cm
TS-202.43	Ø 4.0 mm X 15 cm
TS-202.44	Ø 4.0 mm X 25 cm

Super Luer Lock

TS-203.41	Ø 1.5 mm X 12 cm
TS-203.42	Ø 2.0 mm X 15 cm
TS-203.43	Ø 2.5 mm X 15 cm
TS-203.44	Ø 2.5 mm X 20 cm
TS-203.45	Ø 3.0 mm X 15 cm
TS-203.46	Ø 3.0 mm X 20 cm
TS-203.47	Ø 3.0 mm X 25 cm

Luer lock

TS-204.51	Ø 1.5 mm X 12 cm
TS-204.52	Ø 2.0 mm X 15 cm
TS-204.53	Ø 2.5 mm X 15 cm
TS-204.54	Ø 2.5 mm X 20 cm
TS-204.55	Ø 3.0 mm X 15 cm
TS-204.56	Ø 3.0 mm X 20 cm
TS-204.57	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

TS-205.51	Ø 1.5 mm X 12 cm
TS-205.52	Ø 2.0 mm X 15 cm
TS-205.53	Ø 2.0 mm X 20 cm
TS-205.54	Ø 2.5 mm X 15 cm
TS-205.55	Ø 2.5 mm X 20 cm
TS-205.56	Ø 3.0 mm X 15 cm
TS-205.57	Ø 3.0 mm X 20 cm
TS-205.58	Ø 3.0 mm X 25 cm


Power Cannula

TS-206.121	Ø 2 mm X 15 cm
TS-206.122	Ø 2 mm X 20 cm
TS-206.123	Ø 2 mm X 25 cm
TS-206.124	Ø 2 mm X 30 cm
TS-206.125	Ø 2 mm X 35 cm
TS-206.126	Ø 3 mm X 15 cm
TS-206.127	Ø 3 mm X 20 cm
TS-206.128	Ø 3 mm X 25 cm
TS-206.129	Ø 3 mm X 30 cm
TS-206.130	Ø 3 mm X 35 cm
TS-206.131	Ø 4 mm X 15 cm
TS-206.132	Ø 4 mm X 20 cm
TS-206.133	Ø 4 mm X 25 cm
TS-206.134	Ø 4 mm X 30 cm
TS-206.135	Ø 4 mm X 35 cm
TS-206.136	Ø 5 mm X 15 cm
TS-206.137	Ø 5 mm X 20 cm
TS-206.138	Ø 5 mm X 25 cm
TS-206.139	Ø 5 mm X 30 cm
TS-206.140	Ø 5 mm X 35 cm
TS-206.141	Ø 6 mm X 15 cm
TS-206.142	Ø 6 mm X 20 cm
TS-206.143	Ø 6 mm X 25 cm
TS-206.144	Ø 6 mm X 30 cm
TS-206.145	Ø 6 mm X 35 cm



TREVALLi

GENERAL SUCTION CANNULAS



Luer lock Luer lock (Stainless Steel) Super Luer lock Treaded 60cc Tommey hub Fixed Handle



Mercedes

This circumferential three port configuration cell friendly liposuction cannula is effective for multi-plane soft tissue harvesting.

60cc Tommey hub

TS-201.51	Ø 2.5 mm X 15 cm
TS-201.52	Ø 2.5 mm X 20 cm
TS-201.53	Ø 3.0 mm X 15 cm
TS-201.54	Ø 3.0 mm X 20 cm
TS-201.55	Ø 3.0 mm X 25 cm
TS-201.56	Ø 4.0 mm X 25 cm
TS-201.57	Ø 4.0 mm X 30 cm
TS-201.58	Ø 4.0 mm X 35 cm
TS-201.59	Ø 4.5 mm X 30 cm
TS-201.60	Ø 4.5 mm X 35 cm

Luer lock (Stainless Steel)

TS-205.61	Ø 1.5 mm X 12 cm
TS-205.62	Ø 2.0 mm X 15 cm
TS-205.63	Ø 2.0 mm X 20 cm
TS-205.64	Ø 2.5 mm X 15 cm
TS-205.65	Ø 2.5 mm X 20 cm
TS-205.66	Ø 3.0 mm X 15 cm
TS-205.67	Ø 3.0 mm X 20 cm
TS-205.68	Ø 3.0 mm X 25 cm

Treaded Hub

TS-202.51	Ø 3.0 mm X 15 cm
TS-202.52	Ø 3.0 mm X 25 cm
TS-202.53	Ø 4.0 mm X 15 cm
TS-202.54	Ø 4.0 mm X 25 cm

Super Luer Lock

TS-203.51	Ø 1.5 mm X 12 cm
TS-203.52	Ø 2.0 mm X 15 cm
TS-203.53	Ø 2.5 mm X 15 cm
TS-203.54	Ø 2.5 mm X 20 cm
TS-203.55	Ø 3.0 mm X 15 cm
TS-203.56	Ø 3.0 mm X 20 cm
TS-203.57	Ø 3.0 mm X 25 cm

Luer lock

TS-204.61	Ø 1.5 mm X 12 cm
TS-204.62	Ø 2.0 mm X 15 cm
TS-204.63	Ø 2.5 mm X 15 cm
TS-204.64	Ø 2.5 mm X 20 cm
TS-204.65	Ø 3.0 mm X 15 cm
TS-204.66	Ø 3.0 mm X 20 cm
TS-204.67	Ø 3.0 mm X 25 cm


Power Cannula

TS-206.151	Ø 2 mm X 15 cm
TS-206.152	Ø 2 mm X 20 cm
TS-206.153	Ø 2 mm X 25 cm
TS-206.154	Ø 2 mm X 30 cm
TS-206.155	Ø 2 mm X 35 cm
TS-206.156	Ø 3 mm X 15 cm
TS-206.157	Ø 3 mm X 20 cm
TS-206.158	Ø 3 mm X 25 cm
TS-206.159	Ø 3 mm X 30 cm
TS-206.160	Ø 3 mm X 35 cm
TS-206.161	Ø 4 mm X 15 cm
TS-206.162	Ø 4 mm X 20 cm
TS-206.163	Ø 4 mm X 25 cm
TS-206.164	Ø 4 mm X 30 cm
TS-206.165	Ø 4 mm X 35 cm
TS-206.166	Ø 5 mm X 15 cm
TS-206.167	Ø 5 mm X 20 cm
TS-206.168	Ø 5 mm X 25 cm
TS-206.169	Ø 5 mm X 30 cm
TS-206.170	Ø 5 mm X 35 cm
TS-206.171	Ø 6 mm X 15 cm
TS-206.172	Ø 6 mm X 20 cm
TS-206.173	Ø 6 mm X 25 cm
TS-206.174	Ø 6 mm X 30 cm
TS-206.175	Ø 6 mm X 35 cm



TREVALLi

GENERAL SUCTION CANNULAS



Luer lock

Luer lock
(Stainless Steel)

Super Luer lock

Treaded

60cc Tommey hub

Fixed Handle

3 Spiral Port Cannula (Carraway Style)

Spiral three port design on this Cell Friendly liposuction cannula is effective for multi-plane adipose tissue harvesting.

60cc Tommey hub

TS-201.61	Ø 2.5 mm X 15 cm
TS-201.62	Ø 2.5 mm X 20 cm
TS-201.63	Ø 3.0 mm X 15 cm
TS-201.64	Ø 3.0 mm X 20 cm
TS-201.65	Ø 3.0 mm X 25 cm
TS-201.66	Ø 4.0 mm X 25 cm
TS-201.67	Ø 4.0 mm X 30 cm
TS-201.68	Ø 4.0 mm X 35 cm
TS-201.69	Ø 4.5 mm X 30 cm
TS-201.70	Ø 4.5 mm X 35 cm

Treaded Hub

TS-202.61	Ø 3.0 mm X 15 cm
TS-202.62	Ø 3.0 mm X 25 cm
TS-202.63	Ø 4.0 mm X 15 cm
TS-202.64	Ø 4.0 mm X 25 cm

Super Luer Lock

TS-203.61	Ø 1.5 mm X 12 cm
TS-203.62	Ø 2.0 mm X 15 cm
TS-203.63	Ø 2.5 mm X 15 cm
TS-203.64	Ø 2.5 mm X 20 cm
TS-203.65	Ø 3.0 mm X 15 cm
TS-203.66	Ø 3.0 mm X 20 cm
TS-203.67	Ø 3.0 mm X 25 cm

Luer lock

TS-204.71	Ø 1.5 mm X 12 cm
TS-204.72	Ø 2.0 mm X 15 cm
TS-204.73	Ø 2.5 mm X 15 cm
TS-204.74	Ø 2.5 mm X 20 cm
TS-204.75	Ø 3.0 mm X 15 cm
TS-204.76	Ø 3.0 mm X 20 cm
TS-204.77	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

TS-205.71	Ø 1.5 mm X 12 cm
TS-205.72	Ø 2.0 mm X 15 cm
TS-205.73	Ø 2.0 mm X 20 cm
TS-205.74	Ø 2.5 mm X 15 cm
TS-205.75	Ø 2.5 mm X 20 cm
TS-205.76	Ø 3.0 mm X 15 cm
TS-205.77	Ø 3.0 mm X 20 cm
TS-205.78	Ø 3.0 mm X 25 cm

Power Cannula

TS-206.181	Ø 2 mm X 15 cm
TS-206.182	Ø 2 mm X 20 cm
TS-206.183	Ø 2 mm X 25 cm
TS-206.184	Ø 2 mm X 30 cm
TS-206.185	Ø 2 mm X 35 cm
TS-206.186	Ø 3 mm X 15 cm
TS-206.187	Ø 3 mm X 20 cm
TS-206.188	Ø 3 mm X 25 cm
TS-206.189	Ø 3 mm X 30 cm
TS-206.190	Ø 3 mm X 35 cm
TS-206.191	Ø 4 mm X 15 cm
TS-206.192	Ø 4 mm X 20 cm
TS-206.193	Ø 4 mm X 25 cm
TS-206.194	Ø 4 mm X 30 cm
TS-206.195	Ø 4 mm X 35 cm
TS-206.196	Ø 5 mm X 15 cm
TS-206.197	Ø 5 mm X 20 cm
TS-206.198	Ø 5 mm X 25 cm
TS-206.199	Ø 5 mm X 30 cm
TS-206.200	Ø 5 mm X 35 cm
TS-206.201	Ø 6 mm X 15 cm
TS-206.202	Ø 6 mm X 20 cm
TS-206.203	Ø 6 mm X 25 cm
TS-206.204	Ø 6 mm X 30 cm
TS-206.205	Ø 6 mm X 35 cm



TREVALLi

GENERAL SUCTION CANNULAS



Six Spiral Port (Adjust below 3 Spiral Ports)

Six port spiral configuration on this Cell Friendly liposuction cannula harvests maximum tissue volume in minimal time.

60cc smart hub

TS-201.91	Ø 2.5 mm X 15 cm
TS-201.92	Ø 2.5 mm X 20 cm
TS-201.93	Ø 3.0 mm X 15 cm
TS-201.94	Ø 3.0 mm X 25 cm
TS-201.95	Ø 4.0 mm X 25 cm

Luer lock (Stainless Steel)

TS-205.231	Ø 2.5 mm X 15 cm
TS-205.232	Ø 3.0 mm X 15 cm
TS-205.233	Ø 3.0 mm X 25 cm
TS-205.234	Ø 4.0 mm X 15 cm
TS-205.235	Ø 4.0 mm X 25 cm

Treaded Hub

TS-202.81	Ø 3.0 mm X 15 cm
TS-202.82	Ø 3.0 mm X 25 cm
TS-202.83	Ø 4.0 mm X 15 cm
TS-202.84	Ø 4.0 mm X 25 cm

Power Cannula

TS-206.901	2mm OD X 15 cm
TS-206.902	2mm OD X 20 cm
TS-206.903	2mm OD X 25 cm
TS-206.904	2mm OD X 30 cm
TS-206.905	2mm OD X 35 cm
TS-206.906	3mm OD X 15 cm
TS-206.907	3mm OD X 20 cm
TS-206.908	3mm OD X 25 cm
TS-206.909	3mm OD X 30 cm
TS-206.910	3mm OD X 35 cm
TS-206.911	4mm OD X 15 cm
TS-206.912	4mm OD X 20 cm
TS-206.913	4mm OD X 25 cm
TS-206.914	4mm OD X 30 cm
TS-206.915	4mm OD X 35 cm
TS-206.916	5mm OD X 15 cm
TS-206.917	5mm OD X 20 cm
TS-206.918	5mm OD X 25 cm
TS-206.919	5mm OD X 30 cm
TS-206.920	5mm OD X 35 cm
TS-206.921	6mm OD X 15 cm
TS-206.922	6mm OD X 20 cm
TS-206.923	6mm OD X 25 cm
TS-206.924	6mm OD X 30 cm
TS-206.925	6mm OD X 35 cm

Super Luer Lock

TS-203.81	Ø 2.5 mm X 15 cm
TS-203.82	Ø 3.0 mm X 15 cm
TS-203.83	Ø 3.0 mm X 25 cm
TS-203.84	Ø 4.0 mm X 15 cm
TS-203.85	Ø 4.0 mm X 25 cm

Luer lock

TS-204.91	Ø 2.5 mm X 15 cm
TS-204.92	Ø 3.0 mm X 15 cm
TS-204.93	Ø 3.0 mm X 25 cm
TS-204.94	Ø 4.0 mm X 15 cm
TS-204.95	Ø 4.0 mm X 25 cm



TREVALLi

GENERAL SUCTION CANNULAS



Three Port Cannula

This body sculpting instrument is excellent for harvesting small aliquots of tissue during liposuction procedures.

60cc Tommey hub

TS-201.71	Ø 2.5 mm X 15 cm
TS-201.72	Ø 2.5 mm X 20 cm
TS-201.73	Ø 3.0 mm X 15 cm
TS-201.74	Ø 3.0 mm X 20 cm
TS-201.75	Ø 3.0 mm X 25 cm
TS-201.76	Ø 4.0 mm X 25 cm
TS-201.77	Ø 4.0 mm X 30 cm
TS-201.78	Ø 4.0 mm X 35 cm
TS-201.79	Ø 4.5 mm X 30 cm
TS-201.80	Ø 4.5 mm X 35 cm

Treaded Hub

TS-202.71	Ø 3.0 mm X 15 cm
TS-202.72	Ø 3.0 mm X 25 cm
TS-202.73	Ø 4.0 mm X 15 cm
TS-202.74	Ø 4.0 mm X 25 cm

Super Luer Lock

TS-203.71	Ø 1.5 mm X 12 cm
TS-203.72	Ø 2.0 mm X 15 cm
TS-203.73	Ø 2.5 mm X 15 cm
TS-203.74	Ø 2.5 mm X 20 cm
TS-203.75	Ø 3.0 mm X 15 cm
TS-203.76	Ø 3.0 mm X 20 cm
TS-203.77	Ø 3.0 mm X 25 cm

Luer lock

TS-204.81	Ø 1.5 mm X 12 cm
TS-204.82	Ø 2.0 mm X 15 cm
TS-204.83	Ø 2.5 mm X 15 cm
TS-204.84	Ø 2.5 mm X 20 cm
TS-204.85	Ø 3.0 mm X 15 cm
TS-204.86	Ø 3.0 mm X 20 cm
TS-204.87	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

TS-205.81	Ø 1.5 mm X 12 cm
TS-205.82	Ø 2.0 mm X 15 cm
TS-205.83	Ø 2.0 mm X 20 cm
TS-205.84	Ø 2.5 mm X 15 cm
TS-205.85	Ø 2.5 mm X 20 cm
TS-205.86	Ø 3.0 mm X 15 cm
TS-205.87	Ø 3.0 mm X 20 cm
TS-205.88	Ø 3.0 mm X 25 cm

Power Cannula

TS-206.211	Ø 2 mm X 15 cm
TS-206.212	Ø 2 mm X 20 cm
TS-206.213	Ø 2 mm X 25 cm
TS-206.214	Ø 2 mm X 30 cm
TS-206.215	Ø 2 mm X 35 cm
TS-206.216	Ø 3 mm X 15 cm
TS-206.217	Ø 3 mm X 20 cm
TS-206.218	Ø 3 mm X 25 cm
TS-206.219	Ø 3 mm X 30 cm
TS-206.220	Ø 3 mm X 35 cm
TS-206.221	Ø 4 mm X 15 cm
TS-206.222	Ø 4 mm X 20 cm
TS-206.223	Ø 4 mm X 25 cm
TS-206.224	Ø 4 mm X 30 cm
TS-206.225	Ø 4 mm X 35 cm
TS-206.226	Ø 5 mm X 15 cm
TS-206.227	Ø 5 mm X 20 cm
TS-206.228	Ø 5 mm X 25 cm
TS-206.229	Ø 5 mm X 30 cm
TS-206.230	Ø 5 mm X 35 cm
TS-206.231	Ø 6 mm X 15 cm
TS-206.232	Ø 6 mm X 20 cm
TS-206.233	Ø 6 mm X 25 cm
TS-206.234	Ø 6 mm X 30 cm
TS-206.235	Ø 6 mm X 35 cm



TREVALLi

GENERAL SUCTION CANNULAS



Luer lock Luer lock (Stainless Steel) Super Luer lock Treaded 60cc Tommey hub Fixed Handle



Basket Shaped Cannula

The Cell Friendly Basket Cannula is a versatile liposculpting tool. It can operate as an equalizer without vacuum to treat adipose tissue and skin irregularities in revision liposuction and fat transfer procedures. The Basket Cannula is also adept under vacuum as a fat harvesting cannula. For finishing, this cannula can be used as an injector for equalizing and adding adipose tissue to sculpt smoother contours.

60cc Tommey hub	
TS-201.81	Ø 3.0 mm X 15 cm
TS-201.82	Ø 3.0 mm X 20 cm
TS-201.83	Ø 3.0 mm X 25 cm
TS-201.84	Ø 4.0 mm X 25 cm
TS-201.85	Ø 4.0 mm X 30 cm
TS-201.86	Ø 4.0 mm X 35 cm



Hole on Tip-Style I

Power Cannula					
TS-206.251	Ø 2 mm X 15 cm	TS-206.260	Ø 3 mm X 35 cm	TS-206.268	Ø 5 mm X 25 cm
TS-206.252	Ø 2 mm X 20 cm	TS-206.261	Ø 4 mm X 15 cm	TS-206.269	Ø 5 mm X 30 cm
TS-206.253	Ø 2 mm X 25 cm	TS-206.262	Ø 4 mm X 20 cm	TS-206.270	Ø 5 mm X 35 cm
TS-206.254	Ø 2 mm X 30 cm	TS-206.263	Ø 4 mm X 25 cm	TS-206.271	Ø 6 mm X 15 cm
TS-206.255	Ø 2 mm X 35 cm	TS-206.264	Ø 4 mm X 30 cm	TS-206.272	Ø 6 mm X 20 cm
TS-206.256	Ø 3 mm X 15 cm	TS-206.265	Ø 4 mm X 35 cm	TS-206.273	Ø 6 mm X 25 cm
TS-206.257	Ø 3 mm X 20 cm	TS-206.266	Ø 5 mm X 15 cm	TS-206.274	Ø 6 mm X 30 cm
TS-206.258	Ø 3 mm X 25 cm	TS-206.267	Ø 5 mm X 20 cm	TS-206.275	Ø 6 mm X 35 cm
TS-206.259	Ø 3 mm X 30 cm				



Hole on tip-Style II

Power Cannula					
TS-206.281	Ø 2 mm X 15 cm	TS-206.290	Ø 3 mm X 35 cm	TS-206.298	Ø 5 mm X 25 cm
TS-206.282	Ø 2 mm X 20 cm	TS-206.291	Ø 4 mm X 15 cm	TS-206.299	Ø 5 mm X 30 cm
TS-206.283	Ø 2 mm X 25 cm	TS-206.292	Ø 4 mm X 20 cm	TS-206.300	Ø 5 mm X 35 cm
TS-206.284	Ø 2 mm X 30 cm	TS-206.293	Ø 4 mm X 25 cm	TS-206.301	Ø 6 mm X 15 cm
TS-206.285	Ø 2 mm X 35 cm	TS-206.294	Ø 4 mm X 30 cm	TS-206.302	Ø 6 mm X 20 cm
TS-206.286	Ø 3 mm X 15 cm	TS-206.295	Ø 4 mm X 35 cm	TS-206.303	Ø 6 mm X 25 cm
TS-206.287	Ø 3 mm X 20 cm	TS-206.296	Ø 5 mm X 15 cm	TS-206.304	Ø 6 mm X 30 cm
TS-206.288	Ø 3 mm X 25 cm	TS-206.297	Ø 5 mm X 20 cm	TS-206.305	Ø 6 mm X 35 cm
TS-206.289	Ø 3 mm X 30 cm				



TREVALLi

GENERAL SUCTION CANNULAS



Deep Sharp Cut Dissector

Power Cannula

TS-206.311	Ø 2 mm X 15 cm	TS-206.320	Ø 3 mm X 35 cm	TS-206.328	Ø 5 mm X 25 cm
TS-206.312	Ø 2 mm X 20 cm	TS-206.321	Ø 4 mm X 15 cm	TS-206.329	Ø 5 mm X 30 cm
TS-206.313	Ø 2 mm X 25 cm	TS-206.322	Ø 4 mm X 20 cm	TS-206.330	Ø 5 mm X 35 cm
TS-206.314	Ø 2 mm X 30 cm	TS-206.323	Ø 4 mm X 25 cm	TS-206.331	Ø 6 mm X 15 cm
TS-206.315	Ø 2 mm X 35 cm	TS-206.324	Ø 4 mm X 30 cm	TS-206.332	Ø 6 mm X 20 cm
TS-206.316	Ø 3 mm X 15 cm	TS-206.325	Ø 4 mm X 35 cm	TS-206.333	Ø 6 mm X 25 cm
TS-206.317	Ø 3 mm X 20 cm	TS-206.326	Ø 5 mm X 15 cm	TS-206.334	Ø 6 mm X 30 cm
TS-206.318	Ø 3 mm X 25 cm	TS-206.327	Ø 5 mm X 20 cm	TS-206.335	Ø 6 mm X 35 cm
TS-206.319	Ø 3 mm X 30 cm				



Bi-Port Cannula

Luer lock (Stainless Steel)

	10cm	15cm	20cm	25cm
2.0 Ø	TS-205.91	TS-205.101	TS-205.111	TS-205.121
2.5 Ø	TS-205.92	TS-205.102	TS-205.112	TS-205.122
3.0 Ø	TS-205.93	TS-205.103	TS-205.113	TS-205.123
3.5 Ø	TS-205.94	TS-205.104	TS-205.114	TS-205.124
4.0 Ø	TS-205.95	TS-205.105	TS-205.115	TS-205.125


Power Cannula

TS-206.351	Ø 2 mm X 15 cm	TS-206.360	Ø 3 mm X 35 cm	TS-206.368	Ø 5 mm X 25 cm
TS-206.352	Ø 2 mm X 20 cm	TS-206.361	Ø 4 mm X 15 cm	TS-206.369	Ø 5 mm X 30 cm
TS-206.353	Ø 2 mm X 25 cm	TS-206.362	Ø 4 mm X 20 cm	TS-206.370	Ø 5 mm X 35 cm
TS-206.354	Ø 2 mm X 30 cm	TS-206.363	Ø 4 mm X 25 cm	TS-206.371	Ø 6 mm X 15 cm
TS-206.355	Ø 2 mm X 35 cm	TS-206.364	Ø 4 mm X 30 cm	TS-206.372	Ø 6 mm X 20 cm
TS-206.356	Ø 3 mm X 15 cm	TS-206.365	Ø 4 mm X 35 cm	TS-206.373	Ø 6 mm X 25 cm
TS-206.357	Ø 3 mm X 20 cm	TS-206.366	Ø 5 mm X 15 cm	TS-206.374	Ø 6 mm X 30 cm
TS-206.358	Ø 3 mm X 25 cm	TS-206.367	Ø 5 mm X 20 cm	TS-206.375	Ø 6 mm X 35 cm
TS-206.359	Ø 3 mm X 30 cm				



TREVALLi

GENERAL SUCTION CANNULAS



Tappered Tip Single Central Hole

Power Cannula

TS-206.391	Ø 2 mm X 15 cm	TS-206.400	Ø 3 mm X 35 cm	TS-206.408	Ø 5 mm X 25 cm
TS-206.392	Ø 2 mm X 20 cm	TS-206.401	Ø 4 mm X 15 cm	TS-206.409	Ø 5 mm X 30 cm
TS-206.393	Ø 2 mm X 25 cm	TS-206.402	Ø 4 mm X 20 cm	TS-206.410	Ø 5 mm X 35 cm
TS-206.394	Ø 2 mm X 30 cm	TS-206.403	Ø 4 mm X 25 cm	TS-206.411	Ø 6 mm X 15 cm
TS-206.395	Ø 2 mm X 35 cm	TS-206.404	Ø 4 mm X 30 cm	TS-206.412	Ø 6 mm X 20 cm
TS-206.396	Ø 3 mm X 15 cm	TS-206.405	Ø 4 mm X 35 cm	TS-206.413	Ø 6 mm X 25 cm
TS-206.397	Ø 3 mm X 20 cm	TS-206.406	Ø 5 mm X 15 cm	TS-206.414	Ø 6 mm X 30 cm
TS-206.398	Ø 3 mm X 25 cm	TS-206.407	Ø 5 mm X 20 cm	TS-206.415	Ø 6 mm X 35 cm
TS-206.399	Ø 3 mm X 30 cm				

Tapperd Tip Two Spiral Holes

Power Cannula

TS-206.431	Ø 2 mm X 15 cm	TS-206.440	Ø 3 mm X 35 cm	TS-206.448	Ø 5 mm X 25 cm
TS-206.432	Ø 2 mm X 20 cm	TS-206.441	Ø 4 mm X 15 cm	TS-206.449	Ø 5 mm X 30 cm
TS-206.433	Ø 2 mm X 25 cm	TS-206.442	Ø 4 mm X 20 cm	TS-206.450	Ø 5 mm X 35 cm
TS-206.434	Ø 2 mm X 30 cm	TS-206.443	Ø 4 mm X 25 cm	TS-206.451	Ø 6 mm X 15 cm
TS-206.435	Ø 2 mm X 35 cm	TS-206.444	Ø 4 mm X 30 cm	TS-206.452	Ø 6 mm X 20 cm
TS-206.436	Ø 3 mm X 15 cm	TS-206.445	Ø 4 mm X 35 cm	TS-206.453	Ø 6 mm X 25 cm
TS-206.437	Ø 3 mm X 20 cm	TS-206.446	Ø 5 mm X 15 cm	TS-206.454	Ø 6 mm X 30 cm
TS-206.438	Ø 3 mm X 25 cm	TS-206.447	Ø 5 mm X 20 cm	TS-206.455	Ø 6 mm X 35 cm
TS-206.439	Ø 3 mm X 30 cm				

Fig. 3F

Power Cannula

TS-206.471	Ø 2 mm X 15 cm	TS-206.480	Ø 3 mm X 35 cm	TS-206.488	Ø 5 mm X 25 cm
TS-206.472	Ø 2 mm X 20 cm	TS-206.481	Ø 4 mm X 15 cm	TS-206.489	Ø 5 mm X 30 cm
TS-206.473	Ø 2 mm X 25 cm	TS-206.482	Ø 4 mm X 20 cm	TS-206.490	Ø 5 mm X 35 cm
TS-206.474	Ø 2 mm X 30 cm	TS-206.483	Ø 4 mm X 25 cm	TS-206.491	Ø 6 mm X 15 cm
TS-206.475	Ø 2 mm X 35 cm	TS-206.484	Ø 4 mm X 30 cm	TS-206.492	Ø 6 mm X 20 cm
TS-206.476	Ø 3 mm X 15 cm	TS-206.485	Ø 4 mm X 35 cm	TS-206.493	Ø 6 mm X 25 cm
TS-206.477	Ø 3 mm X 20 cm	TS-206.486	Ø 5 mm X 15 cm	TS-206.494	Ø 6 mm X 30 cm
TS-206.478	Ø 3 mm X 25 cm	TS-206.487	Ø 5 mm X 20 cm	TS-206.495	Ø 6 mm X 35 cm
TS-206.479	Ø 3 mm X 30 cm				



TREVALLi

GENERAL SUCTION CANNULAS



Fig. 2Ech

Power Cannula

TS-206.501	Ø 2 mm X 15 cm	TS-206.510	Ø 3 mm X 35 cm	TS-206.518	Ø 5 mm X 25 cm
TS-206.502	Ø 2 mm X 20 cm	TS-206.511	Ø 4 mm X 15 cm	TS-206.519	Ø 5 mm X 30 cm
TS-206.503	Ø 2 mm X 25 cm	TS-206.512	Ø 4 mm X 20 cm	TS-206.520	Ø 5 mm X 35 cm
TS-206.504	Ø 2 mm X 30 cm	TS-206.513	Ø 4 mm X 25 cm	TS-206.521	Ø 6 mm X 15 cm
TS-206.505	Ø 2 mm X 35 cm	TS-206.514	Ø 4 mm X 30 cm	TS-206.522	Ø 6 mm X 20 cm
TS-206.506	Ø 3 mm X 15 cm	TS-206.515	Ø 4 mm X 35 cm	TS-206.523	Ø 6 mm X 25 cm
TS-206.507	Ø 3 mm X 20 cm	TS-206.516	Ø 5 mm X 15 cm	TS-206.524	Ø 6 mm X 30 cm
TS-206.508	Ø 3 mm X 25 cm	TS-206.517	Ø 5 mm X 20 cm	TS-206.525	Ø 6 mm X 35 cm
TS-206.509	Ø 3 mm X 30 cm				



Two Square-In Line

Luer lock (Stainless Steel)

	7cm	10cm	15cm	20cm	25cm
2.0 Ø	TS-205.131	TS-205.141	TS-205.151	TS-205.161	TS-205.171
2.5 Ø	TS-205.132	TS-205.142	TS-205.152	TS-205.162	TS-205.172
3.0 Ø	TS-205.133	TS-205.143	TS-205.153	TS-205.163	TS-205.173
3.5 Ø	TS-205.134	TS-205.144	TS-205.154	TS-205.164	TS-205.174
4.0 Ø	TS-205.135	TS-205.145	TS-205.155	TS-205.165	TS-205.175

Power Cannula

TS-206.551	Ø 2 mm X 15 cm	TS-206.560	Ø 3 mm X 35 cm	TS-206.568	Ø 5 mm X 25 cm
TS-206.552	Ø 2 mm X 20 cm	TS-206.561	Ø 4 mm X 15 cm	TS-206.569	Ø 5 mm X 30 cm
TS-206.553	Ø 2 mm X 25 cm	TS-206.562	Ø 4 mm X 20 cm	TS-206.570	Ø 5 mm X 35 cm
TS-206.554	Ø 2 mm X 30 cm	TS-206.563	Ø 4 mm X 25 cm	TS-206.571	Ø 6 mm X 15 cm
TS-206.555	Ø 2 mm X 35 cm	TS-206.564	Ø 4 mm X 30 cm	TS-206.572	Ø 6 mm X 20 cm
TS-206.556	Ø 3 mm X 15 cm	TS-206.565	Ø 4 mm X 35 cm	TS-206.573	Ø 6 mm X 25 cm
TS-206.557	Ø 3 mm X 20 cm	TS-206.566	Ø 5 mm X 15 cm	TS-206.574	Ø 6 mm X 30 cm
TS-206.558	Ø 3 mm X 25 cm	TS-206.567	Ø 5 mm X 20 cm	TS-206.575	Ø 6 mm X 35 cm
TS-206.559	Ø 3 mm X 30 cm				



TREVALLi

GENERAL SUCTION CANNULAS



One Central Port-Two Parallel Ports

Power Cannula

TS-206.591	Ø 2 mm X 15 cm	TS-206.600	Ø 3 mm X 35 cm	TS-206.608	Ø 5 mm X 25 cm
TS-206.592	Ø 2 mm X 20 cm	TS-206.601	Ø 4 mm X 15 cm	TS-206.609	Ø 5 mm X 30 cm
TS-206.593	Ø 2 mm X 25 cm	TS-206.602	Ø 4 mm X 20 cm	TS-206.610	Ø 5 mm X 35 cm
TS-206.594	Ø 2 mm X 30 cm	TS-206.603	Ø 4 mm X 25 cm	TS-206.611	Ø 6 mm X 15 cm
TS-206.595	Ø 2 mm X 35 cm	TS-206.604	Ø 4 mm X 30 cm	TS-206.612	Ø 6 mm X 20 cm
TS-206.596	Ø 3 mm X 15 cm	TS-206.605	Ø 4 mm X 35 cm	TS-206.613	Ø 6 mm X 25 cm
TS-206.597	Ø 3 mm X 20 cm	TS-206.606	Ø 5 mm X 15 cm	TS-206.614	Ø 6 mm X 30 cm
TS-206.598	Ø 3 mm X 25 cm	TS-206.607	Ø 5 mm X 20 cm	TS-206.615	Ø 6 mm X 35 cm
TS-206.599	Ø 3 mm X 30 cm				



Two Parallel Port- One Central Port

Power Cannula

TS-206.651	Ø 2 mm X 15 cm	TS-206.660	Ø 3 mm X 35 cm	TS-206.668	Ø 5 mm X 25 cm
TS-206.652	Ø 2 mm X 20 cm	TS-206.661	Ø 4 mm X 15 cm	TS-206.669	Ø 5 mm X 30 cm
TS-206.653	Ø 2 mm X 25 cm	TS-206.662	Ø 4 mm X 20 cm	TS-206.670	Ø 5 mm X 35 cm
TS-206.654	Ø 2 mm X 30 cm	TS-206.663	Ø 4 mm X 25 cm	TS-206.671	Ø 6 mm X 15 cm
TS-206.655	Ø 2 mm X 35 cm	TS-206.664	Ø 4 mm X 30 cm	TS-206.672	Ø 6 mm X 20 cm
TS-206.656	Ø 3 mm X 15 cm	TS-206.665	Ø 4 mm X 35 cm	TS-206.673	Ø 6 mm X 25 cm
TS-206.657	Ø 3 mm X 20 cm	TS-206.666	Ø 5 mm X 15 cm	TS-206.674	Ø 6 mm X 30 cm
TS-206.658	Ø 3 mm X 25 cm	TS-206.667	Ø 5 mm X 20 cm	TS-206.675	Ø 6 mm X 35 cm
TS-206.659	Ø 3 mm X 30 cm				



TREVALLi

GENERAL SUCTION CANNULAS



Fig. 3Me

Luer lock (Stainless Steel)					
	7cm	10cm	15cm	20cm	25cm
2.0 Ø	TS-205.181	TS-205.191	TS-205.201	TS-205.211	TS-205.221
2.5 Ø	TS-205.182	TS-205.192	TS-205.202	TS-205.212	TS-205.222
3.0 Ø	TS-205.183	TS-205.193	TS-205.203	TS-205.213	TS-205.223
3.5 Ø	TS-205.184	TS-205.194	TS-205.204	TS-205.214	TS-205.224
4.0 Ø	TS-205.185	TS-205.195	TS-205.205	TS-205.215	TS-205.225

Power Cannula					
TS-206.681	Ø 2 mm X 15 cm	TS-206.690	Ø 3 mm X 35 cm	TS-206.698	Ø 5 mm X 25 cm
TS-206.682	Ø 2 mm X 20 cm	TS-206.691	Ø 4 mm X 15 cm	TS-206.699	Ø 5 mm X 30 cm
TS-206.683	Ø 2 mm X 25 cm	TS-206.692	Ø 4 mm X 20 cm	TS-206.700	Ø 5 mm X 35 cm
TS-206.684	Ø 2 mm X 30 cm	TS-206.693	Ø 4 mm X 25 cm	TS-206.701	Ø 6 mm X 15 cm
TS-206.685	Ø 2 mm X 35 cm	TS-206.694	Ø 4 mm X 30 cm	TS-206.702	Ø 6 mm X 20 cm
TS-206.686	Ø 3 mm X 15 cm	TS-206.695	Ø 4 mm X 35 cm	TS-206.703	Ø 6 mm X 25 cm
TS-206.687	Ø 3 mm X 20 cm	TS-206.696	Ø 5 mm X 15 cm	TS-206.704	Ø 6 mm X 30 cm
TS-206.688	Ø 3 mm X 25 cm	TS-206.697	Ø 5 mm X 20 cm	TS-206.705	Ø 6 mm X 35 cm
TS-206.689	Ø 3 mm X 30 cm				

Fig. 3Hr

Power Cannula					
TS-206.721	Ø 2 mm X 15 cm	TS-206.730	Ø 3 mm X 35 cm	TS-206.738	Ø 5 mm X 25 cm
TS-206.722	Ø 2 mm X 20 cm	TS-206.731	Ø 4 mm X 15 cm	TS-206.739	Ø 5 mm X 30 cm
TS-206.723	Ø 2 mm X 25 cm	TS-206.732	Ø 4 mm X 20 cm	TS-206.740	Ø 5 mm X 35 cm
TS-206.724	Ø 2 mm X 30 cm	TS-206.733	Ø 4 mm X 25 cm	TS-206.741	Ø 6 mm X 15 cm
TS-206.725	Ø 2 mm X 35 cm	TS-206.734	Ø 4 mm X 30 cm	TS-206.742	Ø 6 mm X 20 cm
TS-206.726	Ø 3 mm X 15 cm	TS-206.735	Ø 4 mm X 35 cm	TS-206.743	Ø 6 mm X 25 cm
TS-206.727	Ø 3 mm X 20 cm	TS-206.736	Ø 5 mm X 15 cm	TS-206.744	Ø 6 mm X 30 cm
TS-206.728	Ø 3 mm X 25 cm	TS-206.737	Ø 5 mm X 20 cm	TS-206.745	Ø 6 mm X 35 cm
TS-206.729	Ø 3 mm X 30 cm				

Fig. Riz

Power Cannula					
TS-206.751	Ø 2 mm X 15 cm	TS-206.760	Ø 3 mm X 35 cm	TS-206.768	Ø 5 mm X 25 cm
TS-206.752	Ø 2 mm X 20 cm	TS-206.761	Ø 4 mm X 15 cm	TS-206.769	Ø 5 mm X 30 cm
TS-206.753	Ø 2 mm X 25 cm	TS-206.762	Ø 4 mm X 20 cm	TS-206.770	Ø 5 mm X 35 cm
TS-206.754	Ø 2 mm X 30 cm	TS-206.763	Ø 4 mm X 25 cm	TS-206.771	Ø 6 mm X 15 cm
TS-206.755	Ø 2 mm X 35 cm	TS-206.764	Ø 4 mm X 30 cm	TS-206.772	Ø 6 mm X 20 cm
TS-206.756	Ø 3 mm X 15 cm	TS-206.765	Ø 4 mm X 35 cm	TS-206.773	Ø 6 mm X 25 cm
TS-206.757	Ø 3 mm X 20 cm	TS-206.766	Ø 5 mm X 15 cm	TS-206.774	Ø 6 mm X 30 cm
TS-206.758	Ø 3 mm X 25 cm	TS-206.767	Ø 5 mm X 20 cm	TS-206.775	Ø 6 mm X 35 cm
TS-206.759	Ø 3 mm X 30 cm				



TREVALLi

GENERAL SUCTION CANNULAS



Fig. 5Ai

Power Cannula

TS-206.721	Ø 2 mm X 15 cm	TS-206.730	Ø 3 mm X 35 cm	TS-206.738	Ø 5 mm X 25 cm
TS-206.722	Ø 2 mm X 20 cm	TS-206.731	Ø 4 mm X 15 cm	TS-206.739	Ø 5 mm X 30 cm
TS-206.723	Ø 2 mm X 25 cm	TS-206.732	Ø 4 mm X 20 cm	TS-206.740	Ø 5 mm X 35 cm
TS-206.724	Ø 2 mm X 30 cm	TS-206.733	Ø 4 mm X 25 cm	TS-206.741	Ø 6 mm X 15 cm
TS-206.725	Ø 2 mm X 35 cm	TS-206.734	Ø 4 mm X 30 cm	TS-206.742	Ø 6 mm X 20 cm
TS-206.726	Ø 3 mm X 15 cm	TS-206.735	Ø 4 mm X 35 cm	TS-206.743	Ø 6 mm X 25 cm
TS-206.727	Ø 3 mm X 20 cm	TS-206.736	Ø 5 mm X 15 cm	TS-206.744	Ø 6 mm X 30 cm
TS-206.728	Ø 3 mm X 25 cm	TS-206.737	Ø 5 mm X 20 cm	TS-206.745	Ø 6 mm X 35 cm
TS-206.729	Ø 3 mm X 30 cm				



Fig. Mr

Power Cannula

TS-206.751	Ø 2 mm X 15 cm	TS-206.760	Ø 3 mm X 35 cm	TS-206.768	Ø 5 mm X 25 cm
TS-206.752	Ø 2 mm X 20 cm	TS-206.761	Ø 4 mm X 15 cm	TS-206.769	Ø 5 mm X 30 cm
TS-206.753	Ø 2 mm X 25 cm	TS-206.762	Ø 4 mm X 20 cm	TS-206.770	Ø 5 mm X 35 cm
TS-206.754	Ø 2 mm X 30 cm	TS-206.763	Ø 4 mm X 25 cm	TS-206.771	Ø 6 mm X 15 cm
TS-206.755	Ø 2 mm X 35 cm	TS-206.764	Ø 4 mm X 30 cm	TS-206.772	Ø 6 mm X 20 cm
TS-206.756	Ø 3 mm X 15 cm	TS-206.765	Ø 4 mm X 35 cm	TS-206.773	Ø 6 mm X 25 cm
TS-206.757	Ø 3 mm X 20 cm	TS-206.766	Ø 5 mm X 15 cm	TS-206.774	Ø 6 mm X 30 cm
TS-206.758	Ø 3 mm X 25 cm	TS-206.767	Ø 5 mm X 20 cm	TS-206.775	Ø 6 mm X 35 cm
TS-206.759	Ø 3 mm X 30 cm				



Fig. P3G

Power Cannula

TS-206.791	Ø 2 mm X 15 cm	TS-206.800	Ø 3 mm X 35 cm	TS-206.808	Ø 5 mm X 25 cm
TS-206.792	Ø 2 mm X 20 cm	TS-206.801	Ø 4 mm X 15 cm	TS-206.809	Ø 5 mm X 30 cm
TS-206.793	Ø 2 mm X 25 cm	TS-206.802	Ø 4 mm X 20 cm	TS-206.810	Ø 5 mm X 35 cm
TS-206.794	Ø 2 mm X 30 cm	TS-206.803	Ø 4 mm X 25 cm	TS-206.811	Ø 6 mm X 15 cm
TS-206.795	Ø 2 mm X 35 cm	TS-206.804	Ø 4 mm X 30 cm	TS-206.812	Ø 6 mm X 20 cm
TS-206.796	Ø 3 mm X 15 cm	TS-206.805	Ø 4 mm X 35 cm	TS-206.813	Ø 6 mm X 25 cm
TS-206.797	Ø 3 mm X 20 cm	TS-206.806	Ø 5 mm X 15 cm	TS-206.814	Ø 6 mm X 30 cm
TS-206.798	Ø 3 mm X 25 cm	TS-206.807	Ø 5 mm X 20 cm	TS-206.815	Ø 6 mm X 35 cm
TS-206.799	Ø 3 mm X 30 cm				



TREVALLi

GENERAL SUCTION CANNULAS



Fig. Py

Power Cannula

TS-206.831	Ø 2 mm X 15 cm	TS-206.840	Ø 3 mm X 35 cm	TS-206.848	Ø 5 mm X 25 cm
TS-206.832	Ø 2 mm X 20 cm	TS-206.841	Ø 4 mm X 15 cm	TS-206.849	Ø 5 mm X 30 cm
TS-206.833	Ø 2 mm X 25 cm	TS-206.842	Ø 4 mm X 20 cm	TS-206.850	Ø 5 mm X 35 cm
TS-206.834	Ø 2 mm X 30 cm	TS-206.843	Ø 4 mm X 25 cm	TS-206.851	Ø 6 mm X 15 cm
TS-206.835	Ø 2 mm X 35 cm	TS-206.844	Ø 4 mm X 30 cm	TS-206.852	Ø 6 mm X 20 cm
TS-206.836	Ø 3 mm X 15 cm	TS-206.845	Ø 4 mm X 35 cm	TS-206.853	Ø 6 mm X 25 cm
TS-206.837	Ø 3 mm X 20 cm	TS-206.846	Ø 5 mm X 15 cm	TS-206.854	Ø 6 mm X 30 cm
TS-206.838	Ø 3 mm X 25 cm	TS-206.847	Ø 5 mm X 20 cm	TS-206.855	Ø 6 mm X 35 cm
TS-206.839	Ø 3 mm X 30 cm				



Fig. Le

Power Cannula

TS-206.861	Ø 2 mm X 15 cm	TS-206.870	Ø 3 mm X 35 cm	TS-206.878	Ø 5 mm X 25 cm
TS-206.862	Ø 2 mm X 20 cm	TS-206.871	Ø 4 mm X 15 cm	TS-206.879	Ø 5 mm X 30 cm
TS-206.863	Ø 2 mm X 25 cm	TS-206.872	Ø 4 mm X 20 cm	TS-206.880	Ø 5 mm X 35 cm
TS-206.864	Ø 2 mm X 30 cm	TS-206.873	Ø 4 mm X 25 cm	TS-206.881	Ø 6 mm X 15 cm
TS-206.865	Ø 2 mm X 35 cm	TS-206.874	Ø 4 mm X 30 cm	TS-206.882	Ø 6 mm X 20 cm
TS-206.866	Ø 3 mm X 15 cm	TS-206.875	Ø 4 mm X 35 cm	TS-206.883	Ø 6 mm X 25 cm
TS-206.867	Ø 3 mm X 20 cm	TS-206.876	Ø 5 mm X 15 cm	TS-206.884	Ø 6 mm X 30 cm
TS-206.868	Ø 3 mm X 25 cm	TS-206.877	Ø 5 mm X 20 cm	TS-206.885	Ø 6 mm X 35 cm
TS-206.869	Ø 3 mm X 30 cm				



Harvester Cannulas

Fat Harvesting for Re-grafting is a delicate difficult and time consuming process. But with Wish Surgical Surgical's Specially designed Harvesting Cannulas will help you to achieve this goal in super efficient way.

Micro fat Harvesting - No problem with Wish Surgical Cannulas.



TREVALLi

HARVESTER CANNULAS



Multiport Speed Harvester- Both End Sharp

A multiport harvester with elevated 1mm microports which yield small enough aliquots of fat tissue to allow for easy and smooth injection with the Tulip 0.7, 0.9 and 1.2mm injectors.

60cc Tommey hub

TS-301.01	Ø 2.5 mm X 15 cm
TS-301.02	Ø 2.5 mm X 20 cm
TS-301.03	Ø 3.0 mm X 15 cm
TS-301.04	Ø 3.0 mm X 20 cm
TS-301.05	Ø 3.0 mm X 25 cm
TS-301.06	Ø 4.0 mm X 25 cm
TS-301.07	Ø 4.0 mm X 30 cm
TS-301.08	Ø 4.0 mm X 35 cm
TS-301.09	Ø 4.5 mm X 30 cm
TS-301.10	Ø 4.5 mm X 35 cm

Treaded Hub

TS-302.01	Ø 3.0 mm X 15 cm
TS-302.02	Ø 3.0 mm X 25 cm
TS-302.03	Ø 4.0 mm X 15 cm
TS-302.04	Ø 4.0 mm X 25 cm

Super Luer Lock

TS-303.01	Ø 2.0 mm X 15 cm
TS-303.02	Ø 2.5 mm X 15 cm
TS-303.03	Ø 2.5 mm X 20 cm
TS-303.04	Ø 3.0 mm X 15 cm
TS-303.05	Ø 3.0 mm X 20 cm
TS-303.06	Ø 3.0 mm X 25 cm

Luer lock

TS-304.01	Ø 2.0 mm X 15 cm
TS-304.02	Ø 2.5 mm X 15 cm
TS-304.03	Ø 2.5 mm X 20 cm
TS-304.04	Ø 3.0 mm X 15 cm
TS-304.05	Ø 3.0 mm X 20 cm
TS-304.06	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

TS-305.01	Ø 2.0 mm X 15 cm
TS-305.02	Ø 2.5 mm X 15 cm
TS-305.03	Ø 2.5 mm X 20 cm
TS-305.04	Ø 3.0 mm X 15 cm
TS-305.05	Ø 3.0 mm X 20 cm
TS-305.06	Ø 3.0 mm X 25 cm

Power Cannula

TS-306.01	Ø 2 mm X 15 cm
TS-306.02	Ø 2 mm X 20 cm
TS-306.03	Ø 2 mm X 25 cm
TS-306.04	Ø 2 mm X 30 cm
TS-306.05	Ø 2 mm X 35 cm
TS-306.06	Ø 3 mm X 15 cm
TS-306.07	Ø 3 mm X 20 cm
TS-306.08	Ø 3 mm X 25 cm
TS-306.09	Ø 3 mm X 30 cm
TS-306.10	Ø 3 mm X 35 cm
TS-306.11	Ø 4 mm X 15 cm
TS-306.12	Ø 4 mm X 20 cm
TS-306.13	Ø 4 mm X 25 cm
TS-306.14	Ø 4 mm X 30 cm
TS-306.15	Ø 4 mm X 35 cm
TS-306.16	Ø 5 mm X 15 cm
TS-306.17	Ø 5 mm X 20 cm
TS-306.18	Ø 5 mm X 25 cm
TS-306.19	Ø 5 mm X 30 cm
TS-306.20	Ø 5 mm X 35 cm
TS-306.21	Ø 6 mm X 15 cm
TS-306.22	Ø 6 mm X 20 cm
TS-306.23	Ø 6 mm X 25 cm
TS-306.24	Ø 6 mm X 30 cm
TS-306.25	Ø 6 mm X 35 cm



TREVALLi

HARVESTER CANNULAS



Luer lock Luer lock (Stainless Steel) Super Luer lock Treaded 60cc Tommey hub Fixed Handle



Multiport Speed Harvester- One End Sharp

A multiport harvester with elevated 1mm microports which yield small enough aliquots of fat tissue to allow for easy and smooth injection with the Tulip 0.7, 0.9 and 1.2mm injectors.

60cc Tommey hub

TS-301.11	Ø 2.5 mm X 15 cm
TS-301.12	Ø 2.5 mm X 20 cm
TS-301.13	Ø 3.0 mm X 15 cm
TS-301.14	Ø 3.0 mm X 20 cm
TS-301.15	Ø 3.0 mm X 25 cm
TS-301.16	Ø 4.0 mm X 25 cm
TS-301.17	Ø 4.0 mm X 30 cm
TS-301.18	Ø 4.0 mm X 35 cm
TS-301.19	Ø 4.5 mm X 30 cm
TS-301.20	Ø 4.5 mm X 35 cm

Treaded Hub

TS-302.11	Ø 3.0 mm X 15 cm
TS-302.12	Ø 3.0 mm X 25 cm
TS-302.13	Ø 4.0 mm X 15 cm
TS-302.14	Ø 4.0 mm X 25 cm

Super Luer Lock

TS-303.11	Ø 2.0 mm X 15 cm
TS-303.12	Ø 2.5 mm X 15 cm
TS-303.13	Ø 2.5 mm X 20 cm
TS-303.14	Ø 3.0 mm X 15 cm
TS-303.15	Ø 3.0 mm X 20 cm
TS-303.16	Ø 3.0 mm X 25 cm

Luer lock

TS-304.11	Ø 2.0 mm X 15 cm
TS-304.12	Ø 2.5 mm X 15 cm
TS-304.13	Ø 2.5 mm X 20 cm
TS-304.14	Ø 3.0 mm X 15 cm
TS-304.15	Ø 3.0 mm X 20 cm
TS-304.16	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

TS-305.11	Ø 2.0 mm X 15 cm
TS-305.12	Ø 2.5 mm X 15 cm
TS-305.13	Ø 2.5 mm X 20 cm
TS-305.14	Ø 3.0 mm X 15 cm
TS-305.15	Ø 3.0 mm X 20 cm
TS-305.16	Ø 3.0 mm X 25 cm

Power Cannula

TS-306.11	Ø 2 mm X 15 cm
TS-306.12	Ø 2 mm X 20 cm
TS-306.13	Ø 2 mm X 25 cm
TS-306.14	Ø 2 mm X 30 cm
TS-306.15	Ø 2 mm X 35 cm
TS-306.16	Ø 3 mm X 15 cm
TS-306.17	Ø 3 mm X 20 cm
TS-306.18	Ø 3 mm X 25 cm
TS-306.19	Ø 3 mm X 30 cm
TS-306.20	Ø 3 mm X 35 cm
TS-306.21	Ø 4 mm X 15 cm
TS-306.22	Ø 4 mm X 20 cm
TS-306.23	Ø 4 mm X 25 cm
TS-306.24	Ø 4 mm X 30 cm
TS-306.25	Ø 4 mm X 35 cm
TS-306.26	Ø 5 mm X 15 cm
TS-306.27	Ø 5 mm X 20 cm
TS-306.28	Ø 5 mm X 25 cm
TS-306.29	Ø 5 mm X 30 cm
TS-306.30	Ø 5 mm X 35 cm
TS-306.31	Ø 6 mm X 15 cm
TS-306.32	Ø 6 mm X 20 cm
TS-306.33	Ø 6 mm X 25 cm
TS-306.34	Ø 6 mm X 30 cm
TS-306.35	Ø 6 mm X 35 cm



TREVALLi

HARVESTER CANNULAS



Multi Port Harvester - Both End Bevel

A sophisticated, precision-designed harvester that is truly Patient Friendly. The ports in the Sorensen Harvester are machined with alternating 60 degree cutting edges. This unique design is less traumatic than other multi-port harvesters and delivers a fine-grained, high fat content/purity yield that can easily pass through 1.2mm, 0.9mm and 0.7mm blunt injectors.

60cc Tommey hub

TS-301.21	Ø 2.5 mm X 15 cm
TS-301.22	Ø 2.5 mm X 20 cm
TS-301.23	Ø 3.0 mm X 15 cm
TS-301.24	Ø 3.0 mm X 20 cm
TS-301.25	Ø 3.0 mm X 25 cm
TS-301.26	Ø 4.0 mm X 25 cm
TS-301.27	Ø 4.0 mm X 30 cm
TS-301.28	Ø 4.0 mm X 35 cm
TS-301.29	Ø 4.5 mm X 30 cm
TS-301.30	Ø 4.5 mm X 35 cm

Treaded Hub

TS-302.21	Ø 3.0 mm X 15 cm
TS-302.22	Ø 3.0 mm X 25 cm
TS-302.23	Ø 4.0 mm X 15 cm
TS-302.24	Ø 4.0 mm X 25 cm

Super Luer Lock

TS-303.21	Ø 2.0 mm X 15 cm
TS-303.22	Ø 2.5 mm X 15 cm
TS-303.23	Ø 2.5 mm X 20 cm
TS-303.24	Ø 3.0 mm X 15 cm
TS-303.25	Ø 3.0 mm X 20 cm
TS-303.26	Ø 3.0 mm X 25 cm

Luer lock

TS-304.21	Ø 2.0 mm X 15 cm
TS-304.22	Ø 2.5 mm X 15 cm
TS-304.23	Ø 2.5 mm X 20 cm
TS-304.24	Ø 3.0 mm X 15 cm
TS-304.25	Ø 3.0 mm X 20 cm
TS-304.26	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

TS-305.21	Ø 2.0 mm X 15 cm
TS-305.22	Ø 2.5 mm X 15 cm
TS-305.23	Ø 2.5 mm X 20 cm
TS-305.24	Ø 3.0 mm X 15 cm
TS-305.25	Ø 3.0 mm X 20 cm
TS-305.26	Ø 3.0 mm X 25 cm

Power Cannula

TS-306.21	Ø 2 mm X 15 cm
TS-306.22	Ø 2 mm X 20 cm
TS-306.23	Ø 2 mm X 25 cm
TS-306.24	Ø 2 mm X 30 cm
TS-306.25	Ø 2 mm X 35 cm
TS-306.26	Ø 3 mm X 15 cm
TS-306.27	Ø 3 mm X 20 cm
TS-306.28	Ø 3 mm X 25 cm
TS-306.29	Ø 3 mm X 30 cm
TS-306.30	Ø 3 mm X 35 cm
TS-306.31	Ø 4 mm X 15 cm
TS-306.32	Ø 4 mm X 20 cm
TS-306.33	Ø 4 mm X 25 cm
TS-306.34	Ø 4 mm X 30 cm
TS-306.35	Ø 4 mm X 35 cm
TS-306.36	Ø 5 mm X 15 cm
TS-306.37	Ø 5 mm X 20 cm
TS-306.38	Ø 5 mm X 25 cm
TS-306.39	Ø 5 mm X 30 cm
TS-306.40	Ø 5 mm X 35 cm
TS-306.41	Ø 6 mm X 15 cm
TS-306.42	Ø 6 mm X 20 cm
TS-306.43	Ø 6 mm X 25 cm
TS-306.44	Ø 6 mm X 30 cm
TS-306.45	Ø 6 mm X 35 cm



Injector Cannulas

(Micro Injectors)



Sharp Extractor/Injector

This tip works well for needle extraction of soft tissue and as a soft tissue reinjection needle.

Super Luer Lock		Luer lock	
TS-403.01	Ø 1.0 mm X 5 cm	TS-404.01	Ø 1.0 mm X 5 cm
TS-403.02	Ø 1.0 mm X 7 cm	TS-404.02	Ø 1.0 mm X 7 cm
TS-403.03	Ø 2.0 mm X 15 cm	TS-404.03	Ø 2.0 mm X 15 cm
TS-403.04	Ø 2.5 mm X 15 cm	TS-404.04	Ø 2.5 mm X 15 cm
TS-403.05	Ø 3.0 mm X 15 cm	TS-404.05	Ø 3.0 mm X 15 cm

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	TS-405.01	TS-405.11	TS-405.21	TS-405.31	TS-405.41
1.4Ø	TS-405.02	TS-405.12	TS-405.22	TS-405.32	TS-405.42
1.8Ø	TS-405.03	TS-405.13	TS-405.23	TS-405.33	TS-405.43
2.0Ø	TS-405.04	TS-405.14	TS-405.24	TS-405.34	TS-405.44

Blunt Extractor/Injector

This tip works well for needle extraction of soft tissue and as a soft tissue reinjection needle.

Super Luer Lock		Luer lock	
TS-403.11	Ø 2.0 mm X 15 cm	TS-404.11	Ø 2.0 mm X 15 cm
TS-403.12	Ø 2.5 mm X 15 cm	TS-404.12	Ø 2.5 mm X 15 cm
TS-403.13	Ø 3.0 mm X 15 cm	TS-404.13	Ø 3.0 mm X 15 cm

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	TS-405.51	TS-405.61	TS-405.71	TS-405.81	TS-405.91
1.4Ø	TS-405.52	TS-405.62	TS-405.72	TS-405.82	TS-405.92
1.8Ø	TS-405.53	TS-405.63	TS-405.73	TS-405.83	TS-405.93
2.0Ø	TS-405.54	TS-405.64	TS-405.74	TS-405.84	TS-405.94

Blunt Tip Injector

Rounded blunt tip design passes through soft tissue easily without the trauma or potential problems of sharp instruments.

Super Luer Lock		Luer lock	
TS-403.21	Ø 1.0 mm X 4 cm	TS-404.21	Ø 1.0 mm X 4 cm
TS-403.22	Ø 1.0 mm X 5 cm	TS-404.22	Ø 1.0 mm X 5 cm
TS-403.23	Ø 1.0 mm X 7 cm	TS-404.23	Ø 1.0 mm X 7 cm
TS-403.24	Curved 12 cm	TS-404.24	Curved 12 cm
TS-403.25	Curved 15 cm	TS-404.25	Curved 15 cm
TS-403.26	Curved 20 cm	TS-404.26	Curved 20 cm

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	TS-405.101	TS-405.111	TS-405.121	TS-405.131	TS-405.141
1.4Ø	TS-405.102	TS-405.112	TS-405.122	TS-405.132	TS-405.142
1.8Ø	TS-405.103	TS-405.113	TS-405.123	TS-405.133	TS-405.143
2.0Ø	TS-405.104	TS-405.114	TS-405.124	TS-405.134	TS-405.144



 **Fig. 2B**

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	TS-405.201	TS-405.211	TS-405.221	TS-405.231	TS-405.241
1.4Ø	TS-405.202	TS-405.212	TS-405.222	TS-405.232	TS-405.242
1.8Ø	TS-405.203	TS-405.213	TS-405.223	TS-405.233	TS-405.243
2.0Ø	TS-405.204	TS-405.214	TS-405.224	TS-405.234	TS-405.244

 **Fig. 1C**

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	TS-405.251	TS-405.261	TS-405.271	TS-405.281	TS-405.291
1.4Ø	TS-405.252	TS-405.262	TS-405.272	TS-405.282	TS-405.292
1.8Ø	TS-405.253	TS-405.263	TS-405.273	TS-405.283	TS-405.293
2.0Ø	TS-405.254	TS-405.264	TS-405.274	TS-405.284	TS-405.294

 **Fig. 1P**

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	TS-405.301	TS-405.311	TS-405.321	TS-405.331	TS-405.341
1.4Ø	TS-405.302	TS-405.312	TS-405.322	TS-405.332	TS-405.342
1.8Ø	TS-405.303	TS-405.313	TS-405.323	TS-405.333	TS-405.343
2.0Ø	TS-405.304	TS-405.314	TS-405.324	TS-405.334	TS-405.344

 **Fig. 2E**

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	TS-405.351	TS-405.361	TS-405.371	TS-405.381	TS-405.391
1.4Ø	TS-405.352	TS-405.362	TS-405.372	TS-405.382	TS-405.392
1.8Ø	TS-405.353	TS-405.363	TS-405.373	TS-405.383	TS-405.393
2.0Ø	TS-405.354	TS-405.364	TS-405.374	TS-405.384	TS-405.394



Coleman Liposuction Cannula Fig. MIC I

Luer lock (Stainless Steel)								
	3cm	5cm	7cm	10cm	12cm	15cm	20cm	3.5cm
1.1Ø	TS-405.401	TS-405.411	TS-405.421	TS-405.431	TS-405.441	TS-405.451	TS-405.461	TS-405.471
1.4Ø	TS-405.402	TS-405.412	TS-405.422	TS-405.432	TS-405.442	TS-405.452	TS-405.462	TS-405.472
1.8Ø	TS-405.403	TS-405.413	TS-405.423	TS-405.433	TS-405.443	TS-405.453	TS-405.463	TS-405.473
2.0Ø	TS-405.404	TS-405.414	TS-405.424	TS-405.434	TS-405.444	TS-405.454	TS-405.464	TS-405.474
2.5Ø	TS-405.405	TS-405.415	TS-405.425	TS-405.435	TS-405.445	TS-405.455	TS-405.465	TS-405.475



Coleman Liposuction Cannula Fig. MIC II

Luer lock (Stainless Steel)							
	3cm	5cm	7cm	10cm	12cm	15cm	20cm
1.1Ø	TS-405.501	TS-405.511	TS-405.521	TS-405.531	TS-405.541	TS-405.551	TS-405.561
1.4Ø	TS-405.502	TS-405.512	TS-405.522	TS-405.532	TS-405.542	TS-405.552	TS-405.562
1.8Ø	TS-405.503	TS-405.513	TS-405.523	TS-405.533	TS-405.543	TS-405.553	TS-405.563
2.0Ø	TS-405.504	TS-405.514	TS-405.524	TS-405.534	TS-405.544	TS-405.554	TS-405.564
2.5Ø	TS-405.505	TS-405.515	TS-405.525	TS-405.535	TS-405.545	TS-405.555	TS-405.565



Coleman Liposuction Cannula Spoon Tip Fig. MIC III

This tip works well for needle extraction of soft tissue and as a soft tissue re injection needle.

Luer lock (Stainless Steel)							
	3cm	5cm	7cm	10cm	12cm	15cm	20cm
1.1Ø	TS-405.601	TS-405.611	TS-405.621	TS-405.631	TS-405.641	TS-405.651	TS-405.661
1.4Ø	TS-405.602	TS-405.612	TS-405.622	TS-405.632	TS-405.642	TS-405.652	TS-405.662
1.8Ø	TS-405.603	TS-405.613	TS-405.623	TS-405.633	TS-405.643	TS-405.653	TS-405.663
2.0Ø	TS-405.604	TS-405.614	TS-405.624	TS-405.634	TS-405.644	TS-405.654	TS-405.664
2.5Ø	TS-405.605	TS-405.615	TS-405.625	TS-405.635	TS-405.645	TS-405.655	TS-405.665



Little Injector

Open and more pointed blunt tip is very effective in dense and fibrous tissue.

Super Luer Lock	
TS-403.51	Ø 1.0 mm X 4 cm
TS-403.52	Ø 1.0 mm X 5 cm
TS-403.53	Ø 1.0 mm X 7 cm

Luer lock	
TS-404.51	Ø 1.0 mm X 4 cm
TS-404.52	Ø 1.0 mm X 5 cm
TS-404.53	Ø 1.0 mm X 7 cm

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	TS-405.701	TS-405.711	TS-405.721	TS-405.731	TS-405.741
1.4Ø	TS-405.702	TS-405.712	TS-405.722	TS-405.732	TS-405.742
1.8Ø	TS-405.703	TS-405.713	TS-405.723	TS-405.733	TS-405.743
2.0Ø	TS-405.704	TS-405.714	TS-405.724	TS-405.734	TS-405.744




Fig. 1B

Luer lock (Stainless Steel)

	3cm	5cm	7cm	10cm	12cm	15cm	20cm
1.1Ø	TS-405.801	TS-405.811	TS-405.821	TS-405.831	TS-405.841	TS-405.851	TS-405.861
1.4Ø	TS-405.802	TS-405.812	TS-405.822	TS-405.832	TS-405.842	TS-405.852	TS-405.862
1.8Ø	TS-405.803	TS-405.813	TS-405.823	TS-405.833	TS-405.843	TS-405.853	TS-405.863
2.0Ø	TS-405.804	TS-405.814	TS-405.824	TS-405.834	TS-405.844	TS-405.854	TS-405.864
2.5Ø	TS-405.805	TS-405.815	TS-405.825	TS-405.835	TS-405.845	TS-405.855	TS-405.865

Curved Injectors



Curved Injectors

New Curved Injectors are designed especially for fat transfer procedures to the body. Their unique shape mimics the anatomical curvature of the female torso and, thus, easily produces the natural-looking results that patients desire. Curved Injection Cannulas ameliorate the fat transfer process by providing a direct and precise route to the injection site and by lessening the time required to correctly sculpt curves.



Speciality Cannulas

Wish Surgical's Speciality Cannula are useful tools for different to operation are such as face or Neck.



TREVALLi

SPECIALITY CANNULAS



Luer lock

Luer lock
(Stainless Steel)

Super Luer lock

Treaded

60cc Tommey hub

Fixed Handle



V-Dissector

This cannula is specifically designed for use in the superficial compartment of the truncal area. The cutting notch is very useful for undermining in facial procedures and in dense, fibrous tissue.

60cc Tommey hub

TS-501.01	Ø 2.5 mm X 15 cm
TS-501.02	Ø 2.5 mm X 20 cm
TS-501.03	Ø 3.0 mm X 15 cm
TS-501.04	Ø 3.0 mm X 20 cm
TS-501.05	Ø 3.0 mm X 25 cm
TS-501.06	Ø 4.0 mm X 25 cm
TS-501.07	Ø 4.0 mm X 30 cm
TS-501.08	Ø 4.0 mm X 35 cm
TS-501.09	Ø 4.5 mm X 30 cm
TS-501.10	Ø 4.5 mm X 35 cm

Treaded Hub

TS-502.01	Ø 3.0 mm X 15 cm
TS-502.02	Ø 3.0 mm X 25 cm
TS-502.03	Ø 4.0 mm X 15 cm
TS-502.04	Ø 4.0 mm X 25 cm

Super Luer Lock

TS-503.01	Ø 2.0 mm X 15 cm
TS-503.02	Ø 2.5 mm X 15 cm
TS-503.03	Ø 2.5 mm X 20 cm
TS-503.04	Ø 3.0 mm X 15 cm
TS-503.05	Ø 3.0 mm X 20 cm
TS-503.06	Ø 3.0 mm X 25 cm

Luer lock

TS-504.01	Ø 2.0 mm X 15 cm
TS-504.02	Ø 2.5 mm X 15 cm
TS-504.03	Ø 2.5 mm X 20 cm
TS-504.04	Ø 3.0 mm X 15 cm
TS-504.05	Ø 3.0 mm X 20 cm
TS-504.06	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

TS-505.01	Ø 2.0 mm X 15 cm
TS-505.02	Ø 2.5 mm X 15 cm
TS-505.03	Ø 2.5 mm X 20 cm
TS-505.04	Ø 3.0 mm X 15 cm
TS-505.05	Ø 3.0 mm X 20 cm
TS-505.06	Ø 3.0 mm X 25 cm

Power Cannula

TS-506.01	Ø 2 mm X 15 cm
TS-506.02	Ø 2 mm X 20 cm
TS-506.03	Ø 2 mm X 25 cm
TS-506.04	Ø 2 mm X 30 cm
TS-506.05	Ø 2 mm X 35 cm
TS-506.06	Ø 3 mm X 15 cm
TS-506.07	Ø 3 mm X 20 cm
TS-506.08	Ø 3 mm X 25 cm
TS-506.09	Ø 3 mm X 30 cm
TS-506.10	Ø 3 mm X 35 cm
TS-506.11	Ø 4 mm X 15 cm
TS-506.12	Ø 4 mm X 20 cm
TS-506.13	Ø 4 mm X 25 cm
TS-506.14	Ø 4 mm X 30 cm
TS-506.15	Ø 4 mm X 35 cm
TS-506.16	Ø 5 mm X 15 cm
TS-506.17	Ø 5 mm X 20 cm
TS-506.18	Ø 5 mm X 25 cm
TS-506.19	Ø 5 mm X 30 cm
TS-506.20	Ø 5 mm X 35 cm
TS-506.21	Ø 6 mm X 15 cm
TS-506.22	Ø 6 mm X 20 cm
TS-506.23	Ø 6 mm X 25 cm
TS-506.24	Ø 6 mm X 30 cm
TS-506.25	Ø 6 mm X 35 cm



TREVALLi

SPECIALITY CANNULAS



Flap

The Flap is primarily used as an undermining dissector, and in smaller diameters, for facial tissue removal. The Flap Cannula in a 2.1mm diameter is very useful for undermining the nasolabial fold prior to autologous tissue injections, as well as for tissue removal in this anatomic area.

60cc Tommey hub

TS-501.11	Ø 2.5 mm X 15 cm
TS-501.12	Ø 2.5 mm X 20 cm
TS-501.13	Ø 3.0 mm X 15 cm
TS-501.14	Ø 3.0 mm X 20 cm
TS-501.15	Ø 3.0 mm X 25 cm
TS-501.16	Ø 4.0 mm X 25 cm
TS-501.17	Ø 4.0 mm X 30 cm
TS-501.18	Ø 4.0 mm X 35 cm
TS-501.19	Ø 4.5 mm X 30 cm
TS-501.20	Ø 4.5 mm X 35 cm

Treaded Hub

TS-502.11	Ø 3.0 mm X 15 cm
TS-502.12	Ø 3.0 mm X 25 cm
TS-502.13	Ø 4.0 mm X 15 cm
TS-502.14	Ø 4.0 mm X 25 cm

Super Luer Lock

TS-503.11	Ø 2.0 mm X 15 cm
TS-503.12	Ø 2.5 mm X 15 cm
TS-503.13	Ø 2.5 mm X 20 cm
TS-503.14	Ø 3.0 mm X 15 cm
TS-503.15	Ø 3.0 mm X 20 cm
TS-503.16	Ø 3.0 mm X 25 cm

Luer lock

TS-504.11	Ø 2.0 mm X 15 cm
TS-504.12	Ø 2.5 mm X 15 cm
TS-504.13	Ø 2.5 mm X 20 cm
TS-504.14	Ø 3.0 mm X 15 cm
TS-504.15	Ø 3.0 mm X 20 cm
TS-504.16	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

TS-505.11	Ø 2.0 mm X 15 cm
TS-505.12	Ø 2.5 mm X 15 cm
TS-505.13	Ø 2.5 mm X 20 cm
TS-505.14	Ø 3.0 mm X 15 cm
TS-505.15	Ø 3.0 mm X 20 cm
TS-505.16	Ø 3.0 mm X 25 cm

Power Cannula

TS-506.51	Ø 2 mm X 15 cm
TS-506.52	Ø 2 mm X 20 cm
TS-506.53	Ø 2 mm X 25 cm
TS-506.54	Ø 2 mm X 30 cm
TS-506.55	Ø 2 mm X 35 cm
TS-506.56	Ø 3 mm X 15 cm
TS-506.57	Ø 3 mm X 20 cm
TS-506.58	Ø 3 mm X 25 cm
TS-506.59	Ø 3 mm X 30 cm
TS-506.60	Ø 3 mm X 35 cm
TS-506.61	Ø 4 mm X 15 cm
TS-506.62	Ø 4 mm X 20 cm
TS-506.63	Ø 4 mm X 25 cm
TS-506.64	Ø 4 mm X 30 cm
TS-506.65	Ø 4 mm X 35 cm
TS-506.66	Ø 5 mm X 15 cm
TS-506.67	Ø 5 mm X 20 cm
TS-506.68	Ø 5 mm X 25 cm
TS-506.69	Ø 5 mm X 30 cm
TS-506.70	Ø 5 mm X 35 cm
TS-506.71	Ø 6 mm X 15 cm
TS-506.72	Ø 6 mm X 20 cm
TS-506.73	Ø 6 mm X 25 cm
TS-506.74	Ø 6 mm X 30 cm
TS-506.75	Ø 6 mm X 35 cm



TREVALLi

SPECIALITY CANNULAS



Luer lock

Luer lock
(Stainless Steel)

Super Luer lock

Treaded

60cc Tommey hub

Fixed Handle



Field Flap

With its elevated leading edge, this cannula is designed to open and expose soft tissue for more precise suctioning along the mandible and sub-mental areas.

60cc Tommey hub

TS-501.21	Ø 2.5 mm X 15 cm
TS-501.22	Ø 2.5 mm X 20 cm
TS-501.23	Ø 3.0 mm X 15 cm
TS-501.24	Ø 3.0 mm X 20 cm
TS-501.25	Ø 3.0 mm X 25 cm
TS-501.26	Ø 4.0 mm X 25 cm
TS-501.27	Ø 4.0 mm X 30 cm
TS-501.28	Ø 4.0 mm X 35 cm
TS-501.29	Ø 4.5 mm X 30 cm
TS-501.30	Ø 4.5 mm X 35 cm

Treaded Hub

TS-502.21	Ø 3.0 mm X 15 cm
TS-502.22	Ø 3.0 mm X 25 cm
TS-502.23	Ø 4.0 mm X 15 cm
TS-502.24	Ø 4.0 mm X 25 cm

Super Luer Lock

TS-503.21	Ø 2.0 mm X 15 cm
TS-503.22	Ø 2.5 mm X 15 cm
TS-503.23	Ø 2.5 mm X 20 cm
TS-503.24	Ø 3.0 mm X 15 cm
TS-503.25	Ø 3.0 mm X 20 cm
TS-503.26	Ø 3.0 mm X 25 cm

Luer lock

TS-504.21	Ø 2.0 mm X 15 cm
TS-504.22	Ø 2.5 mm X 15 cm
TS-504.23	Ø 2.5 mm X 20 cm
TS-504.24	Ø 3.0 mm X 15 cm
TS-504.25	Ø 3.0 mm X 20 cm
TS-504.26	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

TS-505.21	Ø 2.0 mm X 15 cm
TS-505.22	Ø 2.5 mm X 15 cm
TS-505.23	Ø 2.5 mm X 20 cm
TS-505.24	Ø 3.0 mm X 15 cm
TS-505.25	Ø 3.0 mm X 20 cm
TS-505.26	Ø 3.0 mm X 25 cm

Power Cannula

TS-506.101	Ø 2 mm X 15 cm
TS-506.102	Ø 2 mm X 20 cm
TS-506.103	Ø 2 mm X 25 cm
TS-506.104	Ø 2 mm X 30 cm
TS-506.105	Ø 2 mm X 35 cm
TS-506.106	Ø 3 mm X 15 cm
TS-506.107	Ø 3 mm X 20 cm
TS-506.108	Ø 3 mm X 25 cm
TS-506.109	Ø 3 mm X 30 cm
TS-506.110	Ø 3 mm X 35 cm
TS-506.111	Ø 4 mm X 15 cm
TS-506.112	Ø 4 mm X 20 cm
TS-506.113	Ø 4 mm X 25 cm
TS-506.114	Ø 4 mm X 30 cm
TS-506.115	Ø 4 mm X 35 cm
TS-506.116	Ø 5 mm X 15 cm
TS-506.117	Ø 5 mm X 20 cm
TS-506.118	Ø 5 mm X 25 cm
TS-506.119	Ø 5 mm X 30 cm
TS-506.120	Ø 5 mm X 35 cm
TS-506.121	Ø 6 mm X 15 cm
TS-506.122	Ø 6 mm X 20 cm
TS-506.123	Ø 6 mm X 25 cm
TS-506.124	Ø 6 mm X 30 cm
TS-506.125	Ø 6 mm X 35 cm



TREVALLI

SINGLE-USE INSTRUMENTS



Super Luer Lock

The Super Luer Lock is on our Single-use instruments.



Tumescant Infiltrator

This cannula is used specifically for the infusion of tumescant solution and for hydraulic dissection. The configuration of the ports allows even distribution of the fluid.

SL-601.01 Ø 2.0 mm X 12cm

SL-601.02 Ø 2.0 mm X 20cm



Tonnard Harvester

A multiport harvester with 1mm elevated sharp microports. The 20 port configuration allows for harvesting both on the forward and backward strokes.

SL-602.01 Ø 3.0 mm X 20cm

SL-602.02 Ø 2.4 mm X 20cm



Tonnard Harvester

Excellent for harvesting small aliquots of tissues.

SL-603.01 Ø 2.5 mm X 15cm

SL-603.02 Ø 2.0 mm X 15cm



Carraway Harvester

Spiral three port design effective for multi-plane tissue harvesting.

SL-604.01 Ø 2.5 mm X 15cm

SL-604.02 Ø 2.0 mm X 10cm

SL-604.03 Ø 2.0 mm X 15cm

SL-604.04 Ø 1.5 mm X 8cm

SL-604.05 Ø 1.5 mm X 10cm



Injector

Round blunt tip design passes through soft tissue easily without the trauma or potential problems of sharp injectors.

SL-605.01 Ø 1.5 mm X 9cm

SL-605.02 Ø 1.5 mm X 7cm

SL-605.03 Ø 1.0 mm X 5cm

SL-605.04 Ø 1.0 mm X 4cm



Spoon Tip Injector

Blunt injector designed with a more open port for rapid injection of larger volumes - a torso and buttock workhorse.

SL-606.01 Ø 3.0 mm X 20cm

SL-606.02 Ø 2.0 mm X 15cm



Miller Speed Harvester

SL-607.01 Ø 2.0 mm X 15cm

Liposuction Accessories

Handles

Connectors

- a) Luer to Luer
- b) Luer to Handle

Transfer Adapters

- a) Luer to Luer 1.2 mm
- Luer to Luer 1.4 mm
- Luer to Luer 2.4 mm
- b) Anaerobic Transfer
- c) Micro to Nano

Snap Lock

- a) Standard Snap Locks
 60cc, 20cc, 10cc

- b) Wish Surgical's Spiral Snap Lock

Fat Transfer Gun

Decanting Stands

Sterilization Boxed



TREVALLI

LIPOSUCTION ACCESSORIES


HANDLES FOR CANNULAS

TS-701.01



Luer Lock Handle

TS-702.01
20cc



Adaptor Handle Style I

TS-703.01
20cc



Adaptor Handle Style II



TREVALLI

LIPOSUCTION ACCESSORIES

HANDLES FOR CANNULAS

TS-704.01

with connection thread for cannulas hose connection



TS-705.01

with connection thread for cannulas hose connection



TS-706.01

with connection thread for cannulas hose connection



TS-707.01

with connection thread for cannulas hose connection



TS-750.01

Pocar

The Pocar is a percutaneous punch that is used to make a circumferential incision prior to infiltration and tissue extraction. It is designed to maintain a tight seal while minimizing scarring.






TREVALLi

LIPOSUCTION ACCESSORIES

NanoTransfer

TS-751.01

NanoTransfer




TS-752.01

Mesh for NanoTransfer



Anaerobic Transfers

- TS-760.01 Luer 1.2mm
- TS-760.02 Luer 1.4mm
- TS-760.03 Luer 2.4mm





TREVALLI

LIPOSUCTION ACCESSORIES

TS-771.01

Luer to Luer



Decant Stands

TS-772.02 60cc to Luer

TS-773.03 Luer to Luer



SnapLoks

These syringe snap locks fit into the lunger flanges of the syringe. When the plunger is pulled out the lock snaps open on the barrel lip thus holding the syringe under vacuum.

TS-901.01	60cc
TS-901.02	50cc
TS-901.03	30cc
TS-901.04	20cc
TS-901.05	10cc





TREVALLI

LIPOSUCTION ACCESSORIES



Universal Power Injector

TS-801.01

The Power Injector allows the surgeon to re-inject soft tissue through large or small diameter injectors with very little effort and maximum control. The Universal Power Injector will hold a 10cc or a 20cc BD syringe or a BD syringe or a 60cc Monoject syringe.



Fat Syringe


TS-950.01

The Power Injector allows the surgeon to re-inject soft tissue through large or small diameter injectors with very little effort and maximum control. The Universal Power Injector will hold a 10cc or a 20cc BD syringe or a BD syringe or a 60cc Monoject syringe.



TREVALLi

LIPOSUCTION ACCESSORIES



Sterilization Box

TS-1000.01




Syringe Decanting and Injection

TS-707.01	60 cc
TS-707.02	50 cc
TS-707.03	30 cc
TS-707.04	20 cc
TS-707.05	10 cc



TREVALLi

tomorros solutions . . . today!

 083 555 8643

@ trevalli@mweb.co.za

 3 Oldham Place,
Pietermaritzburg



Postnet suite #A02,
Private Bag X8,
Cascades, 3202